


ASTM GB 5052 6mm Thickness Polished Aluminum Strip Roll For Electrical Transformer

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 4000series, 5000series, 6000series, 7000series, 8000series, 9000series
- Minimum Order Quantity: 1ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers'requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Name: 5052 Aluminium Strip
- Grade: 5000 Series
- Width: 6mm-1600mm
- Hardness: Soft
- Surface Treatment: Coated
- Al (Min): 99.6%
- Highlight: 6mm aluminum strip roll, 6mm polished aluminium strips, 5052 aluminum strips



for more products please visit us on aluminium-sheetcoil.com


Product Description

ASTM GB 5052 6mm-1600mm Thickness Aluminum Strip For Electrical Transformer


The main alloy element of 5052 is magnesium, which is mainly used in the manufacture of aircraft fuel tanks, oil pipes, sheet metal parts, instruments, street lamp brackets and rivets, hardware products, electrical enclosures, etc., for traffic vehicles and ships. Compared with 3A21, 5A02 has higher strength, especially higher fatigue strength. Similar to 3A21, high plasticity and corrosion resistance; Heat treatment can not be strengthened, with contact welding and hydrogen welding good weldability, argon arc welding has a tendency to crack crystallization; The alloy has good machinability under cold working hardening and semi-cold working hardening, but bad machinability under annealing condition and can be polished.

| | | | |
|---------------------|---|--------|---|
| Product | Aluminium Strip | | |
| Alloy | 1100, 1145, 1050, 1060, 1070, 3003, 3013, 3005, 3A21, 4343, 4045, 5052, 5082, 5083, 5086, 6061, 8011 etc. | Temper | H12. H14. H16. H18. H22. H24. H26. H32. H34. H36. H38. O etc. |
| Thickness | 0.06mm-6.0mm | Width | 6mm-1600mm |
| Coil Weight | At clients' request | | |
| Package | Eye to sky and eye to wall both available | | |
| Inner core Diameter | 76mm, 505mm, paper core or steel coil is available, also we can make no core inside | | |
| Applications | Gutter, constructions, decorations, air conditioning and radiators etc. | | |

Processing



Product Line



Packing





Certification



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD

+8618151700330

sales02@jslzsteel.com

aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China