

AISI 6063 T5 Silver Aluminium U Shape Channel Mill Finish For Edge Binding

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers' requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Shape: U Shape Channel
- Model Number: 6063
- Tolerance: $\pm 1\%$
- Length: 6m
- Color: Silver
- Delivery Time: 8-14 Days
- Highlight: 6063 aluminium u shape channel,
6063 aluminum u channel,
u shaped aluminum extrusion Mill Finish



for more products please visit us on aluminium-sheetcoil.com

Product Description

AISI 6063 T5 Mill Finish Silver Aluminium U Shape Channel For Edge Binding 5mm-160mm

What is aluminium U channel used for?


The structurally strong yet low weight 6061-T6 alloy used in these types of aluminum angles is more suited to heavy-duty structures such as marine components, pipelines, train carriages, trusses and floor framing. They offer the advantage of low weight yet provide strong structural support.


What is the difference between C channel and U channel?

Steel channel has been classified into "C" and "U" types depending on its outlook. Hence there are two standards to show the channel dimensions - UPE & UPN. UPE is for the C channel steel with parallel flanges while UPN for the U channel steel with tapered flanges.

Item Name	AISI 6063 T5 Mill Finish Silver Aluminium U Shape Channel For Edge Binding 5mm-160mm
Material Grade	Alloy 6000 Series
Temper	T5—T6
Surface treatment	Mill finish, anodizing, powder coated, sandblasting, electrophoresis etc
Color	Silvery white, black, golden, champagne, dark bronze or according to your requirement
Size	15x15~150x150
Length	The Standard length of export is 5.8m , Anodizing 6.5 meters at most, Mill finish 13 meters at most
Deep processing	cutting, drilling, punching, bending etc
Packing details	1.EP Paper inside for each profile separate then craft paper outside 2.EP Paper inside for each profile separate then carton paper then pallet 3. Shrink film 4.wooden carton

Product Details





Product Lines



Surface Treatment Lines



Anodizing



V-type Powder Coating



Small Part Anodizing



H-type Powder Coating




Wooden Grain



Sand Blasting

Packing and Shipment



Certification

OUR CERTIFICATE



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China