




ASTM Coated Woven Aluminum Mesh 0.6mm-0.8mm For Security Screen Door Net

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 3ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Type: Weave Wire Mesh
- Technique: Woven
- Wire Diameter: 0.6mm-0.8mm
- Width: 700-1500mm
- Mesh: 14*14
- Length: 31.5m
- Highlight: **ASTM woven aluminum mesh, aluminum security mesh 0.8mm, 0.6mm aluminium screen door mesh**




Product Description

ASTM Used Coated Aluminum Mesh 0.6mm-0.8mm For Security Screen Door Net


Aluminum Mesh is made by cutting and expanding the original sheet steel using the latest technology, and its net body is more lightweight and strong bearing capacity. The most common aluminum mesh is rhomboid hole, other hole types are hexagonal, round hole, triangle, fish scale hole and so on. And widely used in family, agriculture, construction, medicine, filtration, protection, pest control, handicraft manufacturing, etc

Aluminium Woven Security wire mesh	
Material	Aluminium
Color	Natural color, Black (coated) , customized
Mesh Size	11*11, 14*14, customized
Weight Per Square	It depends on the wire diameter.
Length	31.5m or in pieces, customized
Width	0.8m-1.5m, customized
Brand	JIAN MESH
Sample	Available
feature	Anti thieves, bullet proof, anti insects
Item Type	plain woven mesh
Application	Window&door, office, etc.
Packing	Rach roll in the Nylon bag, and packed with the wooden frame
Service	OEM, ODM accepted
Report	Rohs, Material Report

Product Details



Hot sale color




black



grey



silver grey



	Standard type	Thicken type
wire diameter	0.6mm	0.8mm
color	black/grey (customized)	black/grey (customized)
width	0.8m-1.5m	0.8m-1.5m
mesh size	14mesh	11mesh
coating	Electrostatic spraying	Electrostatic spraying
material	Aviation aluminum	Aviation aluminum

Packing and Shippment



Certification



华鼎四海
Huadingsihai

QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263

Registered Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

Audited Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

Has been assessed as conforming to meet the requirements of
GB/T19001-2016 / ISO9001:2015

for the scope of activities

**Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related
management activities**

Certificate No:609-22-QR-08513-R0-S

Issue Date:2022-12-28

Term of validity:2025-12-27



中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C256-M

Certificate issuer:

gaofei

Company stamp:



Note: Every year, supervision and audit are required, and the certificate of conformity is valid. The status of the certificate can be scanned and can also be confirmed on the company website hdccso.com and the official website of the National Certification and Supervision Commission at www.cnca.gov.cn.

ADD: 608, floor 6, building 1, Yard 18, Huanjing road, Tongzhou District, Beijing
TEL: 010-80820858 E-mail: HDCCRZ@163.com



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales01@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China