


## Silver 1100 Cold Rolled Aluminium Coil Smooth Surface Aluminum Sheet Metal Roll 16mm Thick

Our Product Introduction

### Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 3ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



### Product Specification

- Tolerance:  $\pm 1\%$
- Surface: Bright
- Standard: ASTM
- Place Of Origin: Jiangsu, China
- Package: Standard Seaworthy Packing
- Application: Architecture
- Highlight: aluminium sheet roll 16mm,  
1100 cold rolled aluminium coil,  
aluminum sheet metal roll 16mm



for more products please visit us on [aluminium-sheetcoil.com](http://aluminium-sheetcoil.com)

## Product Description

### ASTM 1100 Smooth Surface Silver Aluminium Coil 16mm Thickness For Architecture


1100 aluminum coil and 3003 aluminum coil and 3004 aluminum coil difference and use.  
1100 aluminum coil: pure aluminum (aluminum content not less than 99.00%).


1050, 1060, 1070, 1000 series are commonly used, among which the aluminum content of series 1 reaches more than 99.00%. The last two digits are more accurate to determine the content of aluminum, such as the last two digits of the 1050 series, the content of aluminum reaches more than 99.5%, 1060 series, the content of aluminum reaches more than 99.6%. Used for aluminum plastic plate. Aluminum veneer and aluminum ceiling and other decorative aluminum coil. 3003 Coil: Aluminum alloy with manganese as the main alloying element, the manganese content is about 1.0-1.5%.


3003 3004 3A21 is commonly used. Also known as rust proof aluminum coil. It is often used for outdoor environment, such as pipeline outsourcing, aluminum veneer, aluminum plastic board, metal roof, curtain wall and so on. The hardness and price of 3004 are higher than 3003, and the extensibility is also higher than 3003. It is commonly used in metal roof, metal plate strength, cans and other products.

Width	1219mm/1250mm/1500mm/2500mm/3000mm/as you required
Thickness	0.05-16mm
Weight	3-8Tons/Coil
Standard	AISI,ASTM,DIN,JIS,GB ,JIS,SUS,EN,etc
MOQ	3 Tons
Technique	Hot rolled/Cold rolled
Surface Treatment	Bright,polished,hair line,brush,sand blast,checkered,embossed,etching,etc
Sample	Free and available
Material	1000 2000 3000 4000 5000 6000 7000 8000 Series
Application	construction,decoration,hardware,electric appliances,machinery and other industrial and civil purposes,such as electronic capacitor,composite cooker,refrigerator,computer,casting,telecommunication,equipment,lamp shade,air conditioner,cosmetics cover and so on.Or it can be made as customers' requirement.
Shipment Time	200ton:Within 5days after deposit Customize Size:Within 10days after deposit OEM Product: Within 15 days after deposit
Capacity	20000Tons/Month

### Product Details







### Packing and Shippment



### Certification

## OUR CERTIFICATE



**JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**



+8618151700330



sales01@jslzssteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China