

# 6061 Rolled Aluminum Coil Anti Erosion 2000mm Aluminum Rolls Sheet Metal

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification: ISO9001
- Model Number:
- Minimum Order Quantity: 3ton
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



## **Product Specification**

- Width:
- Model Number:
  - г
- Application:Tolerance:
- Surface:
- Standard:
- Highlight:
- 6061 Decoration ±3%

100-2000mm

Jiangsu,China LIANZHONG

Negotiable

3-15 days

1000series, 2000series, 3000series,

5000series, 6000series, 7000series

Exporting package/wooden box package etc

- Smooth Clean
- Standard
- 6061 rolled aluminum coil, 2000mm aluminum rolls sheet metal, 6061 aluminum coil anti erosion



**Our Product Introduction** 


#### ASTM 6061 Bright Surface Aluminium Coil 2000mm For Decoration


6061 aluminum coil mainly contains magnesium and silicon two elements, so concentrated the advantages of 4000 series and 5000 series 6061 is a cold treatment aluminum forging products, suitable for corrosion resistance, oxidation requirements of high applications. Good usability, excellent interface characteristics, easy coating, good processing. Can be used in low pressure weapons and aircraft joints.

General characteristics of 6061: excellent interface characteristics, easy coating, high strength, good usability, strong corrosion resistance.

Product Name	Aluminium coil,Aluminium foil, Aluminium alloy coil, Aluminium alloy roll
Grade	1000, 2000, 3000, 4000, 5000, 6000series a) 1000 Series: 1050, 1060, 1070, 1100, 1200, 1235, etc. b) 2000 Series: 2014, 2024, etc. c) 3000 Series: 3003, 3004, 3005, 3104, 3105, 3A21, etc. d) 4000 Series: 4045, 4047, 4343, etc. e) 5000 Series: 5005, 5052, 5083, 5086, 5154, 5182, 5251, 5454, 5754, 5A06, etc. f) 6000 Series: 6061, 6063, 6082, 6A02, etc.
Width	2mm-2200mm
Thickness	0.1mm-200mm
Length	as required
Standard	GB/T3190-2008,GB/T3880-2006,ASTM B209,JIS H4000-2006,etc
Temper	0-H112,T3-T8, T351-851
Surface	mill, bright, polished, hair line, brush,sand blast, checkered,embossed, etching,etc
Application	<ol> <li>Further making utensil2)Solar reflective film</li> <li>The appearance of the building</li> <li>Interior decorating; ceilings, walls,etc</li> <li>Furniture cabinets</li> <li>Elevator decoraction</li> <li>Signs, nameplate,bags making</li> <li>Decorated inside and outside the car</li> <li>Household appliances:refrigerators, microwave ovens, audio equipment,etc</li> </ol>
Shipment Time	Within 15-20 workdays after receiving deposit or L/C
Export Packing	Waterproof paper, and steel strip packed. Standard Export Seaworthy Package.Suit for all kinds of transport,or as required
MOQ	20GP, Sample order can be acceptable.
Free Sample	Send Inquiry to get Free Sample for evaluation

#### **Product Details**





Packing and Shippment

