


ISO9001 JIS Aluminium Alloy Rod 125mm Diameter 6061 T6 Customized Size Round Shape

Our Product Introduction

Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers' requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 2000 Ton/Tons per Month



Product Specification

- Key Word: Aluminum Bar
- Material: 1050 1060 3003 2024 5052 5083 6061 6063 7075
- Shape: Round, square, rectangle
- Diameter: 2-200mm Or As Required
- Color: Nature Silver
- Place Of Origin: Jiangsu, China
- Highlight: **jis aluminium alloy rod, 125mm aluminium alloy rod, 6061 aluminum round bar**



for more products please visit us on aluminium-sheetcoil.com

Product Description

ISO9001 JIS Aluminium Rod Alloy Bar 125mm Diameter 6061 T6 With Customized Size Round Shape

Product Description

Aluminum rods are commonly used in several industries due to their excellent corrosion resistance, electrical conductivity, and low weight. They can be easily machined and formed into various shapes and sizes, making them ideal for applications such as electrical wiring, architectural elements, and structural components. Aluminum rods are also used in the production of automotive parts, aircraft components, and marine equipment.

Product	Aluminum Rods
Material	Aluminum
Diameter	20-200mm or Customized as required
Surface	Mill finish, polished, anodizing, brushing, sand blasting, powder coating, etc.
Certification	ISO, SGS, BV
Temper	6061/6063/6061 Turning Bar/7075T6511/2A12/T6511/T6/T4
Port	Shanghai
Packing	Standard export packing (inside: water proof paper, outside: steel covered with strips and pallets)
Application	(1) building and construction material (2) decoration (3) curtain wall (4) Shelter (5) oil tank (6) mould
Leading Time	7-10 days after advance payment

Product Details



Mechanical property

Mechanical Property								
ALUMINUM ALLOY	Grade	Normal Temper	Temper	Tensile Strength N/mm²	Yield Strength N/mm²	Elongation %		Brinell Hardness HB
						Plate	Bar	
1XXX	1050	O,H112,H	O	78	34	40	-	20
	1060	O,H112,H	O	70	30	43	-	19
Al-Cu	2019	O,T3,T4,T6,T8	T851	450	350	10	-	-

(2XXX)	2024	O,T4	T4	470	325	20	17	120
Al-Mn	3003	O,H112,H	O	110	40	30	37	28
(3XXX)	3004	O,H112,H	O	180	70	20	22	45
Al-Si	4032	O,T6,T62	T6	380	315	-	9	120
Al-Mg	5052	O,H112,H	H34	260	215	10	12	68
(5XXX)	5083	O,H112,H	O	290	145	-	20	-
Al-Mg-Si	6061	O,T4,T6,T8	T6	310	275	12	15	95
	6063	O,T1,T5,T6,T8	T5	185	145	12	-	60
Al-Zn-Mg	7003	T5	T5	315	255	15	-	85
	7075	O,T6	T6	570	505	11	9	150


Recommended Products



Aluminum Sheet



Aluminum Roofing Sheet



Aluminum Coil



Aluminum Ingot



Aluminum Bar



Aluminum Square Bar




Aluminum Tube



Aluminum Flat Bar

Application



Packing & Shipping



Certification



FAQ

1.Can you offer certificate of origin?

Yes, we can offer CO, FTA, Form A, Form B, Form E etc based on your requirements.

2.How can you guarantee the quality?

We have complete test systems from raw materials to finished products, each step must be checked and signed by our professional teams.

3.How can I get your quotation?

Please mention the alloy&temper, application, thickness, tensile strength, elongation etc, we will quote as soon as we can.

4.How about the delivery time?

It is about 7-10days normally according to different order requirements.

5.Can we visit your factory?

Yes sure, we sincerely welcome you to visit us at any time!

6.May I know your payment terms?

We prefer the payment by T/T and L/C,payment term: 30% deposit in advance, 70% should be paid before shipment. If you want other terms, please feel free to let us know in your inquiry.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China

