

## ASTM 3003 Hot Rolled Air Conditioner Aluminum Foil 0.025mm 0.03mm Thickness

### Our Product Introduction


#### Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers'requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



#### Product Specification

- Place Of Origin: Jiangsu, China
- Color: Ral Color
- Application: Air Conditioner
- Technique: Hot Rolled
- Model Number: 3003
- Feature: Eco-Friendly
- Highlight: **3003 aluminium foil for air conditioner, air conditioner aluminum foil 0.03mm, Air Conditioner 3003 aluminum foil**



## Product Description

### ASTM 8011 0.025mm Thickness Aluminium Foil For Food Use 60mm Width


3003 Aluminum foil is a common product of the AL-Mn series of alloys. This product has excellent anti-rust characteristics, the strength is about 10% higher than 1100, formability, solubility, corrosion resistance are good. It is used for processing parts with good formability, high corrosion resistance and good weldability.

3003 aluminum foil is mainly used in electronic components (electronic foil), honeycomb materials, building materials (viaduct, high-speed rail road sound insulation, etc.) and as food packaging foil (3003 aluminum foil bags, vacuum aluminum foil bags) and other industries.

Zinc Coating	40g/m2-275g/m2
Spangle	Big, small regular spangle and zero spangle
Surface Treatment	Chromate, Galvanized, Skin Pass, Passivity and Oiled(un-oiled)
Coil Weight	3--5 Metric Tons and as requirements
Application	Used for PPGI ,General use, Color coating, Corrugated Roofing making, Outside of the buildings Structure, Deep Drawing and etc.
Ambition	Reliable product, Competitive price, On-time delivery and High standard service.
Protective film	PE or PVC
Width tolerance	±10mm
Strength	G225-G550

### Product Details






Packing



## Application



## Certification



华鼎四海  
Huadingsihai

## QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

**Jiangsu Lianzhong Metal Products (Group) Co., Ltd**

Unified social credit code:91320213MABPEEF263

Registered Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

Audited Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

Has been assessed as conforming to meet the requirements of  
**GB/T19001-2016 / ISO9001:2015**

for the scope of activities

**Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related  
management activities**

Certificate No:609-22-QR-08513-R0-S

Issue Date:2022-12-28

Term of validity:2025-12-27



中国认可  
国际互认  
管理体系  
MANAGEMENT SYSTEM  
CNAS C256-M

Certificate issuer:

*gaofei*

Company stamp:



Note: Every year, supervision and audit are required, and the certificate of conformity is valid. The status of the certificate can be scanned and can also be confirmed on the company website [hdccso.com](http://hdccso.com) and the official website of the National Certification and Supervision Commission at [www.cnca.gov.cn](http://www.cnca.gov.cn).

ADD: 608, floor 6, building 1, Yard 18, Huanjing road, Tongzhou District, Beijing  
TEL: 010-80820858 E-mail: HDCCRZ@163.com



**JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**



+8618151700330



[sales02@jslzsteel.com](mailto:sales02@jslzsteel.com)



[aluminium-sheetcoil.com](http://aluminium-sheetcoil.com)

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China