


5052 Brushed Anodised Aluminium Flat Bar Anti Rust For Industrial

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1 ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Hardness: Standard
- Model Number: 5052
- Tolerance: $\pm 1\%$
- Shape: Rectangular
- Color: Silver
- Delivery Time: 8-14 Days
- Highlight: 5052 brushed aluminum bar, anodised aluminium flat bar anti rust, Industrial 5052 aluminum flat bar



for more products please visit us on aluminium-sheetcoil.com

Product Description

ASTM 5052 Anodizing Finish Aluminium Flat Bar For Industrial Use 4m

5052 aluminum alloy belongs to Al-Mg alloy, which is widely used, especially in the construction industry, it is one of the most promising alloys. Good corrosion resistance, excellent weldability, good cold workability, and moderate strength. The main alloy element of 5052 aluminum alloy is magnesium, which has good formability, corrosion resistance, weldability and medium strength. It is used in the manufacture of aircraft fuel tanks, oil pipes, traffic vehicles, ships, sheet metal parts, instruments, street lamp brackets and rivets, hardware products, electric shell, etc.


item	value
Application	Industrial
Surface Treatment	Anodizing
Shape	rectangular
Technique	EXTRUDED
Grade	5000 Series
Alloy Or Not	Is Alloy
Al (Min)	97%
Temper	T3 - T8
Tolerance	±1%
Processing Service	Welding
Delivery Time	8-14 days
Product name	Aluminum Alloy flat bar
Material	Aluminun Alloy
Type	OEM Aluminum Extrusions Profiles
Keyword	Aluminum Bar Rod Alloy
Surface	Mill Finish Polished
Length	Custom Length
Standard	ASTM AISI JIS DIN GB

Item	Aluminum Round Bar 6061 T6
Key word	6063 6061 Aluminum Alloy Bar
MOQ	1 Ton

Grade	Hardness	Tensile Strength	Yield Strength	Elongation(%)	
		(MPa)	(MPa)	0.25-1.25mm	1.26-3.0mm
1100	O	89.6	34.5	30	6
	H12	110.3	103.4	4	12
	H14	124.1	117.2	3	10
2024	O	186.2	75.8	18	20
	T3	482.6	344.7	16	18
	T4	468.8	324.1	20	19
3003	O	110.3	41.4	30	33
	H12	131	124.1	9	11
	H14	151.7	144.8	3	7
5052	O	193.1	89.6	20	21
	H32	227.5	193.1	7	10
	H34	262	213.7	6	8
5083	O	275.8	144.8	21	25
	H32	282.7	151.7	20	21
	H34	330.9	255.1	11	14
6061	O	124.1	55.2	25	26
	T4	241.3	144.8	22	24
	T6	310.3	275.8	12	17
7075	O	227.5	103.4	16	18
	T6	572.3	503.3	11	12

Product Details





Packing and Shippment



Certification



华鼎四海
Huadingsihai

QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263

Registered Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

Audited Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

Has been assessed as conforming to meet the requirements of
GB/T19001-2016 / ISO9001:2015

for the scope of activities

**Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related
management activities**

Certificate No:609-22-QR-08513-R0-S

Issue Date:2022-12-28

Term of validity:2025-12-27



中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C256-M

Certificate issuer:

gaofei

Company stamp:



Note: Every year, supervision and audit are required, and the certificate of conformity is valid. The status of the certificate can be scanned and can also be confirmed on the company website hdccso.com and the official website of the National Certification and Supervision Commission at www.cnca.gov.cn.

ADD: 608, floor 6, building 1, Yard 18, Huanjing road, Tongzhou District, Beijing
TEL: 010-80820858 E-mail: HDCCRZ@163.com



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China