

ASTM 6005 Aluminum H Beams 1000mm Anodized H Shaped Aluminum Channel

Basic Information

Place of Origin: Jiangsu,China
 Brand Name: LIANZHONG
 Certification: ISO9001

Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series

Minimum Order Quantity: 1ton

Price: Negotiable

Packaging Details: Exporting package/wooden box package etc

Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union
 Supply Ability: 20000 Ton/Tons per Month



Product Specification


Shape: H ShapeLength: 1.0-6.0mRange: Industial

Surface Finish: Mill,anodized,powder Coated,

Electrophoresis

Grade: 6000 Series Application: Industry

Highlight: aluminum h beams 1000mm,
 ASTM 6005 aluminum h beams,





Product Description

ASTM 6005 Silver Aluminium I Beam 1000mm Used For Industry

The section shape is similar to the capital Latin letter H of an economic section profile, also known as universal steel beam, wide edge (edge) I beam or parallel flange I beam. The cross section of H-beam usually includes two parts: web and flange plate, also known as waist and side.

item	ASTM 6005 Silver Aluminium I Beam 1000mm Used For Industry					
Material	Alloy 6063 /6061/6060/6005/6082 or according to customer's choice					
Dimension	20,30,40,45,50,60,80 series					
Length	6 meter/pcs or Customized					
Surface	Mill-Finished, Anodizing, Powder Coating, Electrophoresis, Wood Grain,					
Treatment	Polishing, Brushing, etc					
Color	Silver, Champagne, Bronze, Golden, Black, Sand coating, Anodized Acid and alkali or Customized					
Advantages	Anodized 60 series 6101 6003 6061 6063 602T-Slotted Aluminum Profiles 1. Cost advantage of Anodized No mechanical machining necessary request Errors in construction or assembly can be rectified more easily Simple Just order and assemble using standard t slot aluminum profile and accessories for any structures. Compatibility T slot aluminum profile can be combined with products in other ranges Appearance Connection not visible from outside and therefore not a disruptive factor when using accessories Resistance T slot aluminum profile cross section is not weakened by drill holes or milled slots T slot aluminum profile are secured against twisting by the connecting technology					

Grade	Hardne	Tensile Strength	Yield Strength	Elongation(%)	
	ss	(MPa)	(MPa)	0.25-1.25mm	1.26-3.0mm
1100	0	89.6	34.5	30	6
	H12	110.3	103.4	4	12
	H14	124.1	117.2	3	10
2024	0	186.2	75.8	18	20
	T3	482.6	344.7	16	18
	T4	468.8	324.1	20	19
3003	0	110.3	41.4	30	33
	H12	131	124.1	9	11
	H14	151.7	144.8	3	7
5052	0	193.1	89.6	20	21
	H32	227.5	193.1	7	10
	H34	262	213.7	6	8
5083	0	275.8	144.8	21	25
	H32	282.7	151.7	20	21
	H34	330.9	255.1	11	14
6061	0	124.1	55.2	25	26
	T4	241.3	144.8	22	24
	T6	310.3	275.8	12	17
7075	0	227.5	103.4	16	18
	T6	572.3	503.3	11	12

Product Details



Packing and Shippment



Certification



QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263 Registered Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu Audited Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

> Has been assessed as conforming to meet the requirements of GB/T19001-2016 / ISO9001:2015

> > for the scope of activities

Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related management activities

Certificate No:609-22-QR-08513-R0-S Issue Date:2022-12-28

Term of validity:2025-12-27





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C256-M

Certificate issuer: gaofei

Company stamp:





Note: Every year, supervision and audit are required, and the certificate of conforming valid. The status of the certificate can be scanned and can also be confirmed on the company website/hdcciso.com and the official website of the National Certification and Supervision Commission atswww.cnca.gov.cn.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China