



ASTM 6063 H Shaped Aluminum Channel 1mm Thick Aluminium H Channel Electrophoresis Sand Blasting

Our Product Introduction

Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1 ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Shape: H Shape
- Length: 1.0-6.0m
- Range: Industrial
- Surface Finish: Mill, anodized, powder Coated, Electrophoresis
- Grade: 6000 Series
- Application: Industry
- Highlight: **ASTM 6063 h shaped aluminum channel, 1mm h shaped aluminum channel, aluminium h channel electrophoresis**



for more products please visit us on aluminium-sheetcoil.com

Product Description


ASTM 6063 Silver Aluminium I Beam 1mm Thickness Used For Industry

H beam is widely used in: various civil and industrial building structures; A variety of long-span industrial plants and modern high-rise buildings, especially in areas with frequent seismic activity and high temperature working conditions; Large Bridges with large bearing capacity, good cross-section stability and large span are required; Heavy equipment; A highway; Ship skeleton; Mine support; Foundation treatment and dam engineering; Various machine components.

Raw material	Aluminum alloy such as 6000 series,7000 series etc.
Surface treatment	mill-finished, anodized, electrophoresis, powder coating, polishing , sand blasting , and fluorocarbon painting.
Stylish designs	per drawing, re-design as requested or market needs.
Credible quality	ISO9001,Assessment Report provided by Bureau Veritas Certification
Use	doors and windows, kitchen, equipment frame, industry, curtain wall, solar, decorations, transportation tools, and other so many constructions or building area.
Delivery detail	15-30days after received payment

Grade	Hardness	Tensile Strength (MPa)	Yield Strength (MPa)	Elongation(%)	
				0.25-1.25mm	1.26-3.0mm
1100	O	89.6	34.5	30	6
	H12	110.3	103.4	4	12
	H14	124.1	117.2	3	10
2024	O	186.2	75.8	18	20
	T3	482.6	344.7	16	18
	T4	468.8	324.1	20	19
3003	O	110.3	41.4	30	33
	H12	131	124.1	9	11
	H14	151.7	144.8	3	7
5052	O	193.1	89.6	20	21
	H32	227.5	193.1	7	10
	H34	262	213.7	6	8
5083	O	275.8	144.8	21	25
	H32	282.7	151.7	20	21
	H34	330.9	255.1	11	14
6061	O	124.1	55.2	25	26
	T4	241.3	144.8	22	24
	T6	310.3	275.8	12	17
7075	O	227.5	103.4	16	18
	T6	572.3	503.3	11	12

Product Details



Packing and Shippment



Certification



华鼎四海
Huadingsihai

QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263

Registered Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

Audited Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

Has been assessed as conforming to meet the requirements of
GB/T19001-2016 / ISO9001:2015

for the scope of activities

**Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related
management activities**

Certificate No:609-22-QR-08513-R0-S

Issue Date:2022-12-28

Term of validity:2025-12-27



中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C256-M

Certificate issuer:

gaofei

Company stamp:



Note: Every year, supervision and audit are required, and the certificate of conformity is valid. The status of the certificate can be scanned and can also be confirmed on the company website hdccso.com and the official website of the National Certification and Supervision Commission at www.cnca.gov.cn.

ADD: 608, floor 6, building 1, Yard 18, Huanjing road, Tongzhou District, Beijing
TEL: 010-80820858 E-mail: HDCCRZ@163.com



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China