

350mcm 2KV Aluminum PV Wire RPV90 RHW-2 RW90 AL-8000 Solar Cable

Our Product Introduction

Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 3ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 7-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Standard: 1000-6000 Series
- Grade: 1000
- Tolerance: $\pm 1\%$
- Application: Cable
- Material: Aluminum Material
- MOQ: 3 Ton
- Highlight: aluminum pv wire RPV90, 2kv aluminum pv wire , aluminum pv cable RW90



More Images



for more products please visit us on aluminium-sheetcoil.com

Product Description

2KV 350mcm Aluminum PV Wire RPV90 RHW-2 RW90 AL-8000 Solar Cable

1. Application

For use in solar power applications
 Rated 90°C for exposed or concealed wiring in wet or dry locations
 Rated for direct burial conduit

2. Standard

UL Subject 4703 for TYPE PV
 UL 44 for TYPE RHW-2
 UL 854 for TYPE USE-2


3. Construction Details

Stranded copper conductors with single layer
 Bare or tinned conductors
 XLPE insulation
 -40C to +90C
 Sunlight resistant
 RoHS compliant
 Direct burial

4. Dimensions

Size	Diameter of conductor	Min. Number of Strands	Insulation Thickness	Nominal O.D.	Net Weight	Maximum conductor resistance at temperature 20C
AWG or kcmil	mm	n	mm	mm	kg/km	Ω/km
250	13.21	35	3.04	19.3	583	0.232
300	14.48	35	3.04	20.6	669	0.194
350	15.65	35	3.04	21.7	754	0.166
500	18.69	35	3.04	24.8	1004	0.116
700	22.28	58	3.43	29.1	1387	0.0829

Product Details



Packing and Shippment



Certification



100% payment protection



100% quasi-fashion transportation protection



100% product quality protection



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China