


# ASTM 6075 Aluminium I Beam 10mm Thickness T3-T8 Temper For Window

### **Basic Information**

- Place of Origin:
- Brand Name:
- ISO9001 Certification:

aluminium-sheetcoil.com

- Model Number:
- Minimum Order Quantity: 1ton
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



### **Product Specification**

• Shape:

• Length:

- Wall Thickness:
- Color:
- . Key Word:
- Application:

## 10mm Customized

H Shape

- Silver
  - Aluminium I Beam
- Highlight:

## Window

Jiangsu, China

LIANZHONG

Negotiable


3-15 days

1000series, 2000series, 3000series,

5000series, 6000series, 7000series

Exporting package/wooden box package etc

ASTM 6075 aluminium i beam, aluminium universal beams 10mm, custom i beam T8 Temper



**Our Product Introduction** 

#### ASTM 6075 Silver Aluminium I Beam 10mm Used For Window T3-T8 Temper

The use of I-type steel can effectively protect the environment, which is reflected in three aspects: first, compared with concrete, it can adopt dry construction, resulting in less noise and less dust; Second, due to the weight reduction, less soil extraction for foundation construction, small damage to land resources, in addition to a large reduction in the amount of concrete, reduce the amount of rock excavation, conducive to the protection of ecological environment; Third, after the service life of the building structure expires, the amount of solid garbage generated after the structure is dismantled is small.

Dueduet	1
Product Name	H Beam & I BEAM
Standard	AISI, ASTM, BS, DIN, GB, JIS, EN,etc
Flange Thickness	4.5-35mm
Flange Width	100-1000mm
Web Thickness	4.5-70mm
Web Width	100-450mm
Length	5.8m,6m,9m,11.8m,12m or as your requirement
Surface	Perforated/galvanized/black/PaintBright, Polished, Turn smooth(Peeled),Brush, Mill,Pickled
Technique	Hot-rolled and High frequency welded
Application	<ol> <li>Industrial structure of the steel structure bearing bracket 2.Underground engineering steel pile and retaining structure</li> <li>Petrochemical and electric power and other industrial equipment structure</li> <li>Large span steel bridge components</li> <li>Ships,machinery manufacturing frame structure</li> <li>The train, automobile, tractor beam bracket</li> <li>Port of conveyor belt, high speed damper bracket</li> </ol>
Packing	In bulk or container, Standard seaworthy packing or as your required

#### **Product Details**




**Our Product Introduction** 



Packing and Shippment



Certification



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD

+8618151700330 sales02@jslzsteel.com @ aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China