

# 3004 Pre Painted Aluminium Coil PVC Coated For Construction 100-2650mm Width

## **Basic Information**

- Place of Origin:
- Brand Name: Certification:
- Model Number:
- Minimum Order Quantity: 1ton

Price:	Negotiable
	ő
Packaging Details:	Exporting package/wooden box package/Or per customers'requirement
Delivery Time:	3-15 days

Jiangsu, China LIANZHONG

1000series, 2000series, 3000series,

4000series, 5000series, 6000series, 7000series, 8000series, 9000series

L/C, T/T, Western Union

20000 Ton/Tons per Month

coil coated aluminum sheet 100mm

ISO9001

- Delivery Time:
- Payment Terms:
- Supply Ability:



## **Product Specification**

<ul> <li>Highlight:</li> </ul>	pvc coated aluminum coil 2650mm, 3004 pre painted aluminium coil,
Standard:	ASTM
• Туре:	Coil
Certification:	ISO9001
Grade:	3004
Surface Treatment:	Embossed
• Width:	100-2650mm



**Our Product Introduction** 


#### ASTM 3004 Aluminum Coil Coated Surface For Instruction 100-2650mm Width

3004 coated aluminum coil belongs to aluminum magnesium and manganese alloy series with higher strength than 3003. It is commonly used as the base material of coated aluminum coil in roofing buildings in recent years, with advantages of high strength and low specific gravity. It is widely used in stadiums, waiting rooms, terminals and other large buildings. With the popularization of steel structure buildings and factories in China, the amount of 3004 coated aluminum coil will be increasing.


Dus dus d	AOTA 0004 Alvering Opil Operated Operate Foundations that 400,0050
Product	ASTM 3004 Aluminum Coil Coated Surface For Instruction 100-2650mm
name	Width
Alloy	1050 1060 1100 3003 3004 3005 5052 5754 5083 8011
Temper	HO H12 H14 H24 H16 H26 H32
Kinds	mill finished / stick PVC film
Thickness	0.2-6.0mm
Width	20mm-2600mm
Length	1000-5000m /coil
Packing	blank waterproof paper / wooden case.
Min order	8MT
Delivery	15 working days after order and deposit confirmed.

#### **Product Details**





**Product Line** 



Packing



Certification

