

## Smooth Surface 1060 Aluminium Pipe Hollow Pipe 10mm Thickness Multipurpose

Our Product Introduction

### Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers' requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



### Product Specification

- Length: 10mm-6000mm
- Shape: Round
- Wall Thickness: 0.5mm-80mm
- Model Number: 1060
- MOQ: 3 Tons
- Alloy Or Not: Is Alloy
- Highlight: **1060 Aluminium Pipe, aluminium hollow pipe 10mm, 10mm aluminum pipe multipurpose**



for more products please visit us on [aluminium-sheetcoil.com](http://aluminium-sheetcoil.com)

## Product Description

### ASTM 1060 Smooth Surface Aluminum Pipe 10mm Thickness Widely Use

1060 aluminum tube has excellent weldability, the use of fiber welding, gas welding, arc welding and other methods can be very hairline welding, 1060 aluminum tube is a soft aluminum alloy, has the characteristics of conduction and heat conduction, used for conductive materials, heat exchange materials.

Product Name	Aluminium pipe/tube
Grade	1000, 2000, 3000, 4000, 5000, 6000series a) 1000 Series: 1050, 1060, 1070, 1100, 1200, 1235, etc. b) 2000 Series: 2014, 2024, etc. c) 3000 Series: 3003, 3004, 3005, 3104, 3105, 3A21, etc. d) 4000 Series: 4045, 4047, 4343, etc. e) 5000 Series: 5005, 5052, 5083, 5086, 5154, 5182, 5251, 5454, 5754, 5A06, etc. f) 6000 Series: 6061, 6063, 6082, 6A02, etc.
OD	21.3mm-508mm
WT	sch40 sch80
Length	as required
Standard	GB/T3190-2008, GB/T3880-2006, ASTM B209, JIS H4000-2006, etc
Temper	O-H112, T3-T8, T351-851
Surface	mill, bright, polished, hair line, brush, sand blast, checkered, embossed, etching, etc
Application	construction, medicine, shipbuilding, nuclear electricity, and environmental protection etc.
Shipment Time	Within 15-20 workdays after receiving deposit or L/C
Export Packing	Waterproof paper, and steel strip packed. Standard Export Seaworthy Package. Suit for all kinds of transport, or as required
MOQ	20GP, Sample order can be acceptable.
Free Sample	Send Inquiry to get Free Sample for evaluation

### Product Details



### Sample Room



## Certification



**JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China