

5083 6061 7075 T6 20mm 10mm Aluminium Rod Hot Extruded Bright Finish

Basic Information

Place of Origin: Jiangsu,China
 Brand Name: LIANZHONG
 Certification: ISO9001

• Model Number: 6061 6063 5083 7075

• Minimum Order Quantity: 1ton

Price: Negotiable

Packaging Details: Exporting package/wooden box package/Or

per customers'requirement

• Delivery Time: 3-15 days

Payment Terms: L/C/T/T/Western Union
 Supply Ability: 20000 Ton/Tons per Month



Product Specification

Alloy Or Not: Is Alloy
Sample: Available
Yield (≥ MPa): 180
Surface Treatment: Polished
Material: Aluminun Alloy

• Shape: Rectangular, Round, Square

Highlight: 6061 10mm aluminium rod,
 Bright Finish 7075 t6 aluminum rod,

Bright Finish 7075 t6 aluminum rod, 6063 10mm extruded aluminum rod



Product Description

Bright Finish 6061 6063 5083 7075 T6 Hot Extruded Alloy Aluminum Rod 10mm 20mm For Industry

Product Description

Aluminum rods can be as much as 25-percent lighter than steel rods, making them a popular choice with racers. The lighter weight reduces the overall mass of the reciprocating assembly, allowing the engine to rev faster and higher. According to Davis, aluminum is also a great choice for supercharged applications.


Industry Type Aluminum bar / aluminum alloy billet Classific ations Mill Finish or as requested like: Unfinish/colored coated/anodized etc. Surface treatme nt Grade 1/2/3/5/6/7/8xxx series Commo n alloy Temper O, H14, H12, H16, H18, H22, H112, T5, T6, T651, T351, T42 Shape: Round, Rectangular, Square, Hexangular, Triangle, OEM etc.		
Type Aluminum bar / aluminum alloy billet Classific ations Surface treatme nt Grade 1/2/3/5/6/7/8xxx series Commo n alloy Temper O, H14, H12, H16, H18, H22, H112, T5, T6, T651, T351, T42 Shape: Round, Rectangular, Square, Hexangular, Triangle, OEM etc. Normal diameter 1/40mm, 152mm, 162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm 380mm Length: 2m,3m,5.8m,6m,500m or as required	iivame	, ·
Classific ations Gurface treatme nt Grade 1/2/3/5/6/7/8xxx series Commo n alloy Temper O, H14, H12, H16, H18, H22, H112, T5, T6, T651, T351, T42 Shape: Round, Rectangular, Square, Hexangular, Triangle, OEM etc. Normal diameter 1/20mm, 152mm, 162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm 380mm Length: 2m,3m,5.8m,6m,500m or as required		·
Surface treatme nt PE/PVDF/anodized/polished/mill finish nt Grade 1/2/3/5/6/7/8xxx series Commo nalloy 6060/6061/6063/6082 etc. Other alloy is also available. Temper O, H14, H12, H16, H18, H22, H112, T5, T6, T651, T351, T42 Shape: Round,Rectangular,Square,Hexangular,Triangle, OEM etc. Normal diameter 73mm,80mm,85mm,90mm,100mm,110mm,114mm,120mm,125mm,127mm,130mm, diameter 140mm,152mm,162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm 178mm; 2m,3m,5.8m,6m,500m or as required		•
Surface treatme nt PE/PVDF/anodized/polished/mill finish nt Grade 1/2/3/5/6/7/8xxx series Commo nalloy 6060/6061/6063/6082 etc. Other alloy is also available. Temper O, H14, H12, H16, H18, H22, H112, T5, T6, T651, T351, T42 Shape: Round,Rectangular,Square,Hexangular,Triangle, OEM etc. Normal diameter 73mm,80mm,85mm,90mm,100mm,110mm,114mm,120mm,125mm,127mm,130mm, diameter 140mm,152mm,162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm 178mm; 2m,3m,5.8m,6m,500m or as required	Classific	Mill Finish or as requested like: Unfinish/colored coated/anodized etc.
treatme nt	ations	
nt Grade 1/2/3/5/6/7/8xxx series Commo nalloy 6060/6061/6063/6082 etc. Other alloy is also available. Temper O, H14, H12, H16, H18, H22, H112, T5, T6, T651, T351, T42 Shape: Round,Rectangular,Square,Hexangular,Triangle, OEM etc. Normal diameter 73mm,80mm,85mm,90mm,100mm,110mm,114mm,120mm,125mm,127mm,130mm, diameter 140mm,152mm,162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm 380mm Length: 2m,3m,5.8m,6m,500m or as required	Surface	
Grade 1/2/3/5/6/7/8xxx series Commo nalloy 6060/6061/6063/6082 etc. Other alloy is also available. Temper O, H14, H12, H16, H18, H22, H112, T5, T6, T651, T351, T42 Shape: Round,Rectangular,Square,Hexangular,Triangle, OEM etc. Normal diameter 1/30mm,85mm,90mm,100mm,110mm,114mm,120mm,125mm,127mm,130mm, diameter 1/380mm Length: 2m,3m,5.8m,6m,500m or as required	treatme	PE/PVDF/anodized/polished/mill finish
Commo n alloy 6060/6061/6063/6082 etc. Other alloy is also available. Temper O, H14, H12, H16, H18, H22, H112, T5, T6, T651, T351, T42 Shape: Round,Rectangular,Square,Hexangular,Triangle, OEM etc. Normal diameter 73mm,80mm,85mm,90mm,100mm,110mm,114mm,120mm,125mm,127mm,130mm, diameter 140mm,152mm,162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm : 380mm Length: 2m,3m,5.8m,6m,500m or as required	nt	
Temper O, H14, H12, H16, H18, H22, H112, T5, T6, T651, T351, T42 Shape: Round,Rectangular,Square,Hexangular,Triangle, OEM etc. Normal diameter 140mm,152mm,162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm 380mm Length: 2m,3m,5.8m,6m,500m or as required	Grade	1/2/3/5/6/7/8xxx series
n alloy 7 Temper O, H14, H12, H16, H18, H22, H112, T5, T6, T651, T351, T42 Shape: Round, Rectangular, Square, Hexangular, Triangle, OEM etc. Normal 73mm,80mm,85mm,90mm,100mm,110mm,114mm,120mm,125mm,127mm,130mm, diameter 140mm,152mm,162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm : 380mm Length: 2m,3m,5.8m,6m,500m or as required	Commo	6060/6061/6063/6082 etc. Other alloy is also available.
Shape: Round,Rectangular,Square,Hexangular,Triangle, OEM etc. Normal 73mm,80mm,85mm,90mm,100mm,110mm,114mm,120mm,125mm,127mm,130mm, diameter 140mm,152mm,162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm : 380mm Length: 2m,3m,5.8m,6m,500m or as required	n alloy	
Normal 73mm,80mm,85mm,90mm,100mm,110mm,114mm,120mm,125mm,127mm,130mm, diameter 140mm,152mm,162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm : 380mm Length: 2m,3m,5.8m,6m,500m or as required	Temper	O, H14, H12, H16, H18, H22, H112, T5, T6, T651, T351, T42
diameter 140mm,152mm,162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm : 380mm Length: 2m,3m,5.8m,6m,500m or as required	Shape:	Round,Rectangular,Square,Hexangular,Triangle, OEM etc.
: 380mm Length: 2m,3m,5.8m,6m,500m or as required	Normal	73mm,80mm,85mm,90mm,100mm,110mm,114mm,120mm,125mm,127mm,130mm,
Length: 2m,3m,5.8m,6m,500m or as required	diameter	140mm,152mm,162mm, 178mm, 203mm, 228mm, 248mm, 252mm, 300mm, 305mm, 307mm,
	:	380mm
Color: Unfinish:raw color - silver or As requested.	Length:	2m,3m,5.8m,6m,500m or as required
	Color :	Unfinish:raw color - silver or As requested.

Product Display





Product Line







Application









Quality Control







Packing & Shipping























Certification



QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263 Registered Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu Audited Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

> Has been assessed as conforming to meet the requirements of GB/T19001-2016 / ISO9001:2015

> > for the scope of activities

Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related management activities

Certificate No:609-22-QR-08513-R0-S

Issue Date:2022-12-28

Term of validity:2025-12-27





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C256-M

Certificate issuer: gaofei

Company stamp:





Note: Every year, supervision and audit are required, and the certificate of conformity is valid. The status of the certificate can be scanned and can also be confirmed on the company website/dcciso.com and the official website of the National Certification and Supervision Commission attwww.cnca.gov.cn.

ADD: 608, floor 6, building 1, Yard 18, Huanjing road, Tongzhou District, Beijing TEL: 010-80820858 E-mail: HDCCRZ@163.com

Our Advantages

- 1.Samples can be offered with courier fee by buyer's side.
- 2.Good quality + Factory price + Quick response + Reliable service

- 3.100% responsible for the quality:all the products are produced by our professional workman and we have a high-work-effect foreigh trade
- 4.We have enough stock and can deliver in short time.
- 5. Customized designs, colors, sizes and logos are welcome, responsiveness to customers' requirements.
- 6.24 hours online service, if any question, please contact us at anytime in your convinence.

JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD

+8618151700330

sales01@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China