

# 5754 Aluminum Checkered Plate 1mm Aluminium Five Bar Tread Plate

# **Basic Information**

Place of Origin: Jiangsu,China
Brand Name: LIANZHONG
Certification: ISO9001

Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series

Minimum Order Quantity: 3ton

Price: Negotiable

Packaging Details: Exporting package/wooden box package etc

Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union
Supply Ability: 20000 Ton/Tons per Month



# **Product Specification**

Model Number: 5754

• Application: Construction , Decoration, Boat

Width: 200-2600mmDelivery Time: Within 7 Days

Keyword: Aluminum Checkered PlateSurface Treatment: Coated Or Embossed

Highlight: 5754 Aluminum Checkered Plate,
1mm 5 bar chequer plate,

aluminium five bar tread plate 5754



# **Product Description**

#### ASTM Five Bars 5754 Aluminium Checkered Plate For Boat 1mm Thickness

The pattern plate has many advantages, such as beautiful appearance, non-slip, strengthening performance and saving steel. It is widely used in transportation, construction, decoration, baseplate around equipment, machinery, shipbuilding and other fields. Generally speaking, the user does not have high requirements on the mechanical properties and mechanical properties of the pattern plate, so the quality of the pattern plate is mainly represented by the flower rate, the height of the pattern and the height difference of the pattern.

Alloy No.	Thickness (mm)	Width (mm)	Length (mm)	Temper
A1050,A1060, A1070,A1100	1.0-10	20-2300	20-8000	H12,H22,H14,H16,H18, H24,H26,etc
3A21,A3003,A3105,A3 004	1.0-10	20-2300	20-8000	H14,H18,H24,etc
A5052 ,A5005,A5083,A5754	1.0-10	20-2300	20-8000	H18,H24,H32,H34,H111,H112 ,etc
A6061,A6082,A6063	1.0-10	20-2300	20-8000	T4,T6,,etc
A8011	1.0-10	20-2300	20-8000	H12,H22,H14,H16,H18,H24,H2 6, etc

Packing: Export wooden pallets. The bundle wegiht not exceed 2MT. Loading:by 1x20GP, 1X20GP can load about 18MT

Standards: ASTM-B209. EN573-1, GB/T3880.1-2006

Quality of material: totally free from defects like white rust, oil patches, roll marks, edge damage, camber, dents, holes, break

lines, scratches and free from coil set

Application: Mainly used insigns, billboards, building exterior decoration, bus body, highrise buildings and factories wall

decoration, kitchen sink, lamp, fan leaves, with pieces of electronic, chemical equipment, sheet metal processing parts, deep

drawing or spinning hollowware, welding parts, heat exchangers, bell surface and disk, plate, kitchenware, decorations, reflective

devices, ect

MOQ	5 tons	
Payment term:	T/T,L/C	
Delivery Time	15 days after 30% T/T payment or receiving L/C copy	
Kind attention: Specifications can be customized as the customer's requirements.		

#### **Product Details**






Warehouse




Application



**Packing and Shippment** 





Certification



# **QUALITY MANAGEMENT SYSTEM CERTIFICATE**

This is to certify that

# Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263 Registered Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu Audited Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

> Has been assessed as conforming to meet the requirements of GB/T19001-2016 / ISO9001:2015

> > for the scope of activities

Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related management activities

Certificate No:609-22-QR-08513-R0-S Issue Date:2022-12-28

Term of validity:2025-12-27





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C256-M

Certificate issuer: gaofei

Company stamp:





Note: Every year, supervision and audit are required, and the certificate of conformit valid. The status of the certificate can be scanned and can also be confirmed on the company website/hdcciso.com and the official website of the National Certification and Supervision Commission atswww.cnca.gov.cn.

JANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



@ aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China