


2A16 Duralumin Aluminium Coil Heat Resistant 1200mm For Airtight Cabin

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 4000series, 5000series, 6000series, 7000series, 8000series, 9000series
- Minimum Order Quantity: 1ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers' requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Width: 40-1200mm
- Certificate: ISO9001
- Grade: 2A16
- Tolerance: $\pm 1\%$
- Type: Coil
- Standard: ASTM AISI JIS GB
- Highlight: 1200mm Aluminum Sheet Coil Heat Resistant, 2A16 Duralumin Aluminium Coil, Airtight Cabin Duralumin Aluminium Coil



for more products please visit us on aluminium-sheetcoil.com


Product Description


2A16 Aluminum Coils Heat Resistant Duralumin 1200mm Used For Airtight Cabin

2A16 aluminium alloy, which is a heat-resistant duralumin, is characterized by: The strength of the alloy is not too high at normal temperature, while it has high creep strength at high temperature. The alloy has strong plasticity in hot state, no extrusion effect, and can be strengthened. The welding performance is good, the tendency of crack formation is not significant, the weld air tightness is good, the weld corrosion stability is low, the aluminum clad plate corrosion stability is good, and the corrosion resistance of extruded semi-finished products is not high. In order to prevent corrosion, should use anodic oxidation treatment or paint protection: machinable performance is good. Mainly used in 250-350°C working parts, such as bearing to compressor blade, disc, plate used as normal temperature and high temperature working welding parts, such as containers, airtight warehouse, etc


Product name	Aluminum coil
Thickness	0.15mm-300mm or as Customer's Requirement
width	40mm-2400mm
Grade	1000, 2000, 3000, 4000, 5000, 6000, 7000, 8000, 9000 series
Alloy or not	Alloy
Color	Silver
Surface	Bright
MOQ	1 Ton

Product Details





Product Line



Packing



Certification



华鼎四海
Huadingsihai

QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263

Registered Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

Audited Address:287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

Has been assessed as conforming to meet the requirements of
GB/T19001-2016 / ISO9001:2015

for the scope of activities

**Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related
management activities**

Certificate No:609-22-QR-08513-R0-S

Issue Date:2022-12-28

Term of validity:2025-12-27



中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C256-M

Certificate issuer:

gaofei

Company stamp:



Note: Every year, supervision and audit are required, and the certificate of conformity is valid. The status of the certificate can be scanned and can also be confirmed on the company website hdccso.com and the official website of the National Certification and Supervision Commission at www.cnca.gov.cn.

ADD: 608, floor 6, building 1, Yard 18, Huanjing road, Tongzhou District, Beijing
TEL: 010-80820858 E-mail: HDCCRZ@163.com



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China