




## Customized Polished Surface Aluminium Pipe 0.3mm - 50mm Thickness For Radiator

Our Product Introduction


### Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers' requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



### Product Specification

- Grade: 6000 Series
- Hardness: Customized
- Wall Thickness: 0.3mm-50mm
- Model Number: 6061
- MOQ: 2 Tons
- Alloy Or Not: Is Alloy
- Highlight: **Customized Polished Aluminium Pipe, 0.3mm Polished Aluminium Pipe, Radiator 3003 Aluminum Tube**



for more products please visit us on [aluminium-sheetcoil.com](http://aluminium-sheetcoil.com)

## Product Description

### ASTM 3003 Polished Surface Aluminum Pipe 2.5mm Thickness Used For Radiator

3003 aluminum tube is mainly used for requiring high plasticity and good weldability, low load parts working in liquid or gas medium, such as gasoline or lubricating oil conduit, various liquid containers and other small load parts made with deep drawing, wire used to do rivets. 3003 is AL-Mn alloy, which is the most widely used antirust aluminum. The strength of this alloy is not high (slightly higher than that of industrial pure aluminum), and it cannot be strengthened by heat treatment. Therefore, cold working method is adopted to improve its mechanical properties: In the annealing state has a high plasticity, in the semi-cold hardening plasticity is good, cold hardening plasticity is low, good corrosion resistance, good weldability, bad machinability.

Name	China Quality 6061 5083 3003 2024 Anodized Aluminium Pipe / 7075 T6 Aluminum Tube
Place of Origin	China
Grade	6000 Series
Shape	Round
Surface Treatment	Polished
Length	customized
Usage	industry, decoration
Hardness	160-205 Rm/Mpa
Alloy Or Not	Is Alloy
Temper	T3 - T8
Al (Min)	98.8%
Wall Thickness	0.3mm-50mm
Model Number	Channel-Alu-042
Tolerance	±1%
Processing Service	Bending, Decoiling, Welding, Punching, Cutting
Surface	mill finish, anodized, polished etc
Surface Color	silver, bronze, champagne etc.
Processing	extrusion, drawn, rolled etc
Certificate	ISO, CE etc
MOQ	3 Tons

### Product Details



### Sample Room



## Certification



**JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China