

# **ASTM 5052 Polished Aluminium Sheet 2mm Thickness For Building**

### **Basic Information**


. Place of Origin: Jiangsu, China LIANZHONG . Brand Name: ISO9001 · Certification: 5005 Model Number: • Minimum Order Quantity: 3ton • Price: Negotiable

· Packaging Details:

Exporting package/wooden box package etc

• Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union . Supply Ability: 20000 Ton/Tons per Month



## **Product Specification**

• Product Name: 5005 Aluminum Sheet

Width: 10mm-2800mm

• Alloy Or Not: Is Alloy

• Place Of Origin: Jiangsu, China • Delivery Time: 8-14 Days Model Number: 5005


. Highlight: Aluminium Sheet 2mm Thickness,


**Building 5052 Aluminum Sheet,** 


**Polished Coated Aluminium Panel** 



### More Images







### **Product Description**


#### ASTM 5005 Aluminium Sheet 1250mm Width Polished Surface Used In Building

5052 aluminum plate is AL-Mg alloy aluminum plate, magnesium is the main alloy element in 5052 aluminum plate, is the most widely used rust resistant aluminum, this alloy has high strength, especially with fatigue strength: High plasticity and corrosion resistance, can not be strengthened by heat treatment, in the semi-cold hardening plasticity is good, cold hardening plasticity is low, good corrosion resistance, good weldability, bad machinability, polishing.

Aluminum - magnesium alloys also contain small amounts of manganese, chromium, beryllium, titanium, etc. In addition to a small amount of manganese in the alloy, most of the formation of MnAl6. The role of chromium in 5052 aluminum plate is similar to that of manganese, which can improve the stress corrosion cracking resistance, improve the strength of matrix metal and weld, and reduce the welding crack tendency, but its content is generally less than 0.35%.

Grade	1000- 7000 Series
Temper	O-H112,T351-T851,T3-T8
Туре	Plate
Application	solar reflector, wall, furniture,cabinets
Width	20-2500mm
Surface Treatment	Coated
Alloy Or Not	ls Alloy
Place of Origin	Jiangsu
Model Number	5086 5083 6061 7003 1060 5052 5754 7075 etc
Tolerance	±1%
Processing Service	Bending, Decoiling, Welding, Punching, Cutting
Delivery Time	8-14 days
Material properties	Rust resistant, hard, forged, super hard
service	24 hours a day
Finish	Polished Bright Finish
processing craft	Quenching and tempering
Coating	Printing Screen Printing
ductility	High elongation
Technique	high strength, good usability, strong corrosion resistance
Package	Standard Seaworthy Packing
processing technology	processing technology
Advantage	Weather-proof

#### **Product Details**







**Packing and Shippment** 





Certification



# **QUALITY MANAGEMENT SYSTEM CERTIFICATE**

This is to certify that

### Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263 Registered Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu Audited Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

> Has been assessed as conforming to meet the requirements of GB/T19001-2016 / ISO9001:2015

> > for the scope of activities

Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related management activities

Certificate No:609-22-QR-08513-R0-S Issue Date:2022-12-28

Term of validity:2025-12-27





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C256-M

Certificate issuer: gaofei

Company stamp:





Note: Every year, supervision and audit are required, and the certificate of conforming valid. The status of the certificate can be scanned and can also be confirmed on the company website/hdcciso.com and the official website of the National Certification and Supervision Commission atswww.cnca.gov.cn.

JANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



@ aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China