

# A5754 Aluminium Coil 30 - 1600mm Width Smooth Surface For Construction

## **Basic Information**

Place of Origin: Jiangsu,China
 Brand Name: LIANZHONG
 Certification: ISO9001

• Model Number: 1000series, 2000series, 3000series,

4000series, 5000series, 6000series, 7000series, 8000series, 9000series

• Minimum Order Quantity: 1ton


Price: Negotiable

Packaging Details: Exporting package/wooden box package/Or

per customers'requirement

Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union
Supply Ability: 20000 Ton/Tons per Month



## **Product Specification**

Color: CustomizedAlloy Or Not: Is AlloyGrade: A5754


Application: Construction And Decoration

MOQ: 1 TonWidth: 30-1600mm


• Highlight: Smooth Surface Aluminium Coil 30mm,

A5754 Aluminium Coil,

Construction 3003 Aluminum Coil



## More Images








# **Product Description**

## A5754 Aluminium Coil 30-1600mm Width Smooth Surface Used For Construction

5754 aluminum coil belongs to AL-MG antirust aluminum, has the characteristics of medium strength, good corrosion resistance, weldability and easy processing and forming, is a typical alloy in Al-Mg series of alloys. 5754 with different heat treatment states is the main material used in automobile manufacturing (car doors, molds, seals) and canning industry (tank car tank material).

Aluminum Coil			
Alaminam Con			
Aluminium Alloy	Thickness (mm)	Width (mm)	Temper
A1050,A1060,A1070,A 1100	0.2-8.0	20-2300	O,H12,H14,H16,H18,H22,H24,H26
A3003,A3004,A3105	0.2-8.0	20-2300	O,H12,H14,H16,H18,H22,H24,H26
A5052,A5005,A5083,A 5754	0.2-8.0	20-2300	O,H12,H14,H34,H32,H36,H111,H112
A6061,A6082,A6063	0.2-8.0	20-2300	T4,T6,T651
A8011	0.2-8.0	20-2300	O,H12,H14,H16,H18,H22,H24,H26
Material process	CC AND DC		
Customerize size	Size can be produced as per clients requirement		
Surface	Mill finish ,Color coated(PVDF& PE),Stucco Embossed ,Bright Polish,Anodizing Mirror,Brush,Perforated,Tread plate ,Corrugated etc		
Quality Standard	ASTM B209,EN573-1		
MOQ per size	1 ton		
Payment Terms	TT OR LC at sight		
Delivery time	Within 25 days after receipt the lc or deposit		
Material Quality	Tension levelled ,flat ,Free of defects like oil stain,Roll Marks,Waves,Dents scratches etc ,A+++ quality, production process passed sgs and by		
	inspection		
Application	Construction ,Building,Decoration ,Curtain Wall ,Roofing,Mould,Lighting,		
	curtain wall, ship building,Aircraft,Oil Tank ,Truck Body etc		
Packing	Standard export worthy wooden pallets and standard packing is about 2 tons/pallet		
	Pallet weight also can be as per client's requirement		


## **Product Details**








**Product Line** 





Packing



Certification



# **QUALITY MANAGEMENT SYSTEM CERTIFICATE**

This is to certify that

## Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263 Registered Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu Audited Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

> Has been assessed as conforming to meet the requirements of GB/T19001-2016 / ISO9001:2015

> > for the scope of activities

Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related management activities

Certificate No:609-22-QR-08513-R0-S Issue Date:2022-12-28

Term of validity:2025-12-27





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C256-M

Certificate issuer: gaofei

Company stamp:





Note: Every year, supervision and audit are required, and the certificate of conforming valid. The status of the certificate can be scanned and can also be confirmed on the company website/hdcciso.com and the official website of the National Certification and Supervision Commission atswww.cnca.gov.cn.

JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



@ aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China