

Polished Bright Surface Aluminium Sheet Plate 2500mm 3003 O H12 H14 H18 H22

Basic Information

Place of Origin: Jiangsu,China
Brand Name: CHALCO
Certification: ISO9001

Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series


• Minimum Order Quantity: 3ton

Price: Negotiable

Packaging Details: Exporting package/wooden box package etc

Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union
Supply Ability: 20000 Ton/Tons per Month



Product Specification

Width: 500-2500mmApplication: Construction

Model Number: 3003

• Thickness: 0.2-200mm Customized

Place Of Origin: Jiangsu, ChinaDelivery Time: 8-14 Days

• Highlight: Bright Polished Surface Aluminium Sheet Plate,

H18 Aluminium Sheet Plate,

2500mm 3003 Aluminium Sheet Plate



More Images








Product Description

ASTM Polished Bright Surface 3003 Aluminium Sheet Plate O H12 H14 H18 H22

Series 3003 aluminum plate is a common product of aluminum manganese alloy series. Because of the manganese alloy element, this product has excellent anti-rust properties, also known as anti-rust aluminum plate. 3003 is AL-Mn alloy, which is the most widely used antirust aluminum. The strength of this alloy is not high (slightly higher than that of industrial pure aluminum), and it cannot be strengthened by heat treatment. Therefore, cold working method is adopted to improve its mechanical properties: In the annealing state has a high plasticity, in the semi-cold hardening plasticity is good, cold hardening plasticity is low, good corrosion resistance, good weldability, bad machinability. The utility is mainly used for requiring high plasticity and good weldability, low load parts working in liquid or gas medium, such as oil tank, gasoline or lubricating oil conduit, various liquid containers and other small load parts made with deep drawing: wire used to do rivets.

Product	ASTM Polished Bright Surface 3003 Aluminium Sheet Plate O H12 H14 H18 H22
Alloy	1050 1060 1100 3003 3004 3105 5052 5754 6061
Thickness range	1.2-7.0mm
Width range	500-2500mm
Length range	500-8000mm
Film/Paper	Film coated, or paper between each sheet
Package	Standard seaworthy packing
MOQ	5 Tons
Payment terms	30%TT as deposit +70%TT before shipment
Delivery time	15-30 days after receiving the deposit
Inspection	The third party inspection is accepted
Sample	Free sample, kindly pay the delivery charge on your side
Kind attn	Customization is accepted. For more information, contact us directly pls.

Product Details






Factory



Packing and Shippment







Certification









JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD

+8618151700330

sales02@jslzsteel.com

aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China