

Seamless Aluminum Tube Pipe 7020 7075 T6 Cold Rolled Round Wall 2mm

Basic Information

Place of Origin: Jiangsu,China
Brand Name: LIANZHONG
Certification: ISO9001

Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series

Minimum Order Quantity: 2 TonsPrice: Negotiable

Packaging Details: Standard Export Seaworthy Package

Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union
Supply Ability: 20000 Ton/Tons per Month



Product Specification

Product Name: Aluminum PipePlace Of Loading: Shanghai Port


Surface Treatment: Anodizing, Powder Coated, Painted Etc.
Grade: 7000 Series, 7020 7022 7050 7075

Standard: ASTM AISI JIS

Usage: Construction, building Material, industry

• Highlight: Seamless Aluminum Tube Pipe,

7075 T6 Aluminum Tube Pipe, 2mm 7020 Aluminum Pipe



Product Description

Aluminum Tube 7020 7075 T6 Cold Rolled Aluminum Tube Seamless Round Pipe Wall Thickness 2mm

Product Introduction

Advantages of aluminum tubes:

- 1. Advantages of welding technology: The welding technology of thin-walled copper-aluminum tubes suitable for industrial production is known as a world-class problem and is the key technology for replacing copper with aluminum for connecting tubes of air conditioners.
- 2. Advantages of service life: From the perspective of the inner wall of the aluminum tube, since the refrigerant does not contain moisture, the inner wall of the copper-aluminum connecting tube will not corrode.
- 3. Energy-saving advantages: The connection pipeline between the indoor unit and the outdoor unit of the air conditioner, the lower the heat transfer efficiency, the more energy-saving, or the better the thermal insulation effect, the more power-saving.
- 4. Excellent bending performance, easy to install and move.

| Product Name | Aluminum pipe | | | | | |
|--------------------|--|--|--|--|--|--|
| Shape | Round, Square, Rectangular, Oval, half-round | | | | | |
| Color available | Silver, Bronze, champagne, Matte, Natural for anodizing, RAL for powder coating | | | | | |
| Out Diameter | 2mm-2500mm or as the customer's request | | | | | |
| Business type | Manufactory | | | | | |
| Thickness | 0.5mm-150mm or as the customer's request | | | | | |
| OEM Service | Perforated, Cutting special size, Doing flatness, Surface treatment,etc | | | | | |
| Delivery Time | Within 3 days for our stock size,7-15 days for our production | | | | | |
| MOQ | 100kg | | | | | |
| Usage | LED light industry 2.Solar industry 3.Sanitary industry Auto party industry 5.Heat sink industry and etc | | | | | |
| Surface treatment | Mill finish, anodized, powder coated, electrophoresis, sand blasting, wood grain painting, matted, polishing bright etc. | | | | | |
| Standard | GB/T6893-2000,GB/T4437-2000,ASTM B210,ASTM B241,ASTM B234,JIS H4080-2006,etc | | | | | |

Product Detail









Chemical Composition

| Garde | Chemical composition | | | | | | | | | |
|-------|----------------------|------|----------|---------|----------|---------|------|-------|---------|--|
| | Si | Fe | Cu | Mn | Mg | Zn | Ti | Other | Al | |
| 1050 | 0.25 | 0.4 | 0.05 | 0.05 | 0.05 | 0.05 | 0.03 | 0.03 | 99.5 | |
| 1060 | 0.25 | 0.35 | 0.05 | 0.03 | 0.03 | 0.05 | 0.03 | 0.03 | 99.6 | |
| 1100 | Si+Fe:0.95 | | 0.05-0.2 | 0.05 | - | 0.1 | - | 0.15 | 99 | |
| 2A12 | 0.5 | 0.5 | 3.8-4.9 | 0.3-0.9 | 1.2-1.8 | 0.3 | 0.15 | 1 | remains | |
| 2017 | 0.2-0.8 | 0.7 | 3.5-4.5 | 0.4-0.1 | 0.4-0.8 | 0.25 | 0.15 | 0.15 | remains | |
| 2014 | 0.5-1.2 | 0.7 | 3.9-5 | 0.4-1.2 | 0.2-0.8 | 0.25 | 0.15 | 0.15 | remains | |
| 3003 | 0.6 | 0.7 | 0.05-0.2 | 1.0-1.5 | - | 0.1 | - | 0.15 | remains | |
| 3005 | 0.6 | 0.7 | 0.3 | 1.0-1.5 | 0.2-0.6 | 0.25 | 0.1 | 0.15 | remains | |
| 3105 | 0.6 | 0.7 | 0.3 | 0.3-0.8 | 0.2-0.8 | 0.4 | 0.1 | 0.15 | remains | |
| 5005 | 0.3 | 0.7 | 0.2 | 0.2 | 0.5-1.1 | 0.25 | - | 0.15 | remains | |
| 5052 | 0.25 | 0.4 | 0.1 | 0.1 | 2.2-2.8 | 0.1 | - | 0.15 | remains | |
| 5083 | 0.4 | 0.4 | 0.1 | 0.4-1 | 4.0-4.9 | 0.25 | 0.15 | 0.15 | remains | |
| 5182 | 0.2 | 0.35 | 0.15 | 0.2-0.5 | 4.0-5.0 | 0.25 | 0.15 | 0.15 | remains | |
| 5754 | 0.4 | 0.4 | 0.1 | 0.5 | 2.6-3.6 | 0.2 | 0.15 | 0.15 | remains | |
| 6061 | 0.4-0.8 | 0.7 | 0.15-0.4 | 0.15 | 0.8-1.2 | 0.25 | 0.15 | 0.15 | remains | |
| 6063 | 0.2-0.6 | 0.35 | 0.1 | 0.1 | 0.45-0.9 | 0.1 | 0.1 | 0.15 | remains | |
| 6082 | 0.7-1.3 | 0.5 | 0.1 | 0.4-1 | 0.6-1.2 | 0.2 | 0.1 | 0.15 | remains | |
| 7075 | 0.4 | 0.5 | 1.2-2.0 | 0.3 | 2.1-2.9 | 5.1-5.6 | 0.2 | 0.15 | remains | |

Application



Certification



QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263 Registered Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu Audited Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

> Has been assessed as conforming to meet the requirements of GB/T19001-2016 / ISO9001:2015

> > for the scope of activities

Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related management activities

Certificate No:609-22-QR-08513-R0-S

Issue Date:2022-12-28

Term of validity:2025-12-27





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C256-M

Certificate issuer: gaofei

Company stamp:





valid. The status of the certificate can be scanned and can also be confi company website:hdcciso.com and the official website of the National Certification and Supervision Commission at:www.cnca.gov.cn.

FAQ

Q1: Can you cut the materials into small sizes

A: Yes, we can do it to meet you need.

Q2: What's your minimum order quantity (MOQ)

A: We accept small orders, a small amount of samples is ok.

Q3: Can you provide sample?

A: Yes, we can provide you sample, but you need to pay for the sample and freight firstly. We will return the sample fee after you make an order.

Q4: Can you provide Certificates for aluminum materials?

Q: Yes,we can supply MTC-Material Test Certificate.

Q5: What's the delivery time for orders?

A:Normally it takes 3-10 working days, or mutual agreement.



JANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



@ aluminium-sheetcoil.com