

Anodized Extruded Round Aluminum Tube Pipe 24 Gauge 20 Gauge For Automobile

Basic Information

Place of Origin: Jiangsu,China
Brand Name: LIANZHONG
Certification: ISO9001

Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series

Minimum Order Quantity: 2 TonsPrice: Negotiable

Packaging Details: Standard Export Seaworthy Package

Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union
Supply Ability: 20000 Ton/Tons per Month



Product Specification

Product Name: Aluminum Pipe

Suface: Anodized, Mill Finished

• Technique: Bending, Decoiling, Welding, Punching,

Cutting

• Inspection: We Can Also Provide The Third Inspection

Model Number: 6061 6063 7075 T6Usage: Building Material

Highlight: Anodized Extruded Aluminum Tube Pipe,

20 Gauge Extruded Aluminum Tube Pipe,

7075 T6 Aluminum Pipe Tube

Product Description

ASTM Standard Anodized Extruded Round Aluminum Tube Pipe 24 Gauge 20 Gauge Thick For Automobile

Product Introduction

Aluminum has an outstanding strength-to-weight ratio and is easy to form. Its natural corrosion resistance, which can be increased with anodizing, is one of the biggest benefits. Aluminum coil is found in a range of applications from housing siding, trim, gutters, and roofing to cans, lids, caps, bottles, and other food packaging, appliances and electronics. Because it is a lightweight and durable material, it is also seen in the automotive industry. The density of aluminum is very small, only 2.7g /cm³. Although it is soft, it can be made into a variety of aluminum alloys, such as duralumin, superduralumin, rustproof aluminum, cast aluminum and so on. These aluminum alloys are widely used in aircraft, automobiles, trains, ships and other manufacturing industries. In addition, space rockets, space shuttles, satellites also use a large number of aluminum and its aluminum alloy.

| Product Name | Aluminum Tube/Pipe | | | | | |
|-------------------|---|--|--|--|--|--|
| | 1000 series: 1050, 1060, 1070, 1080, 1100, 1435, etc | | | | | |
| | 2000 series: 2011, 2014, 2017, 2024, etc | | | | | |
| Material Grade | 3000 series: 3002, 3003, 3104, 3204, 3030, etc | | | | | |
| Waterial Grade | 5000 series: 5005, 5025, 5040, 5056, 5083, etc | | | | | |
| | 6000 series: 6101, 6003, 6061, 6063, 6020, 6201, 6262, 6082, etc | | | | | |
| | 7000 series: 7003, 7005, 7050, 7075, etc | | | | | |
| Outer Diameter | 3-300 mm or as required | | | | | |
| Wall Thickness | 0.3-60 mm or as required | | | | | |
| Length | 1-6 m, or customized | | | | | |
| Standards | ASTM, ASME, EN, JIS, DIN, GB | | | | | |
| Surface treatment | Mill finished, anodized, powder coating, Sand blast, etc | | | | | |
| Surface colors | Nature, silver, bronze, champagne, black, gloden or as customized | | | | | |
| Usage | Auto /doors/decoration/construction/curtain wall | | | | | |
| Certificate | ISO 9001 | | | | | |
| Lead Time | Within 10 days, depends on the quantity order | | | | | |

Product Details



Sample Room







Chemical Composition

| Garde | Chemical composition | | | | | | | | | | |
|-------|----------------------|------|----------|---------|----------|---------|------|-------|---------|--|--|
| | Si | Fe | Cu | Mn | Mg | Zn | Ti | Other | Al | | |
| 1050 | 0.25 | 0.4 | 0.05 | 0.05 | 0.05 | 0.05 | 0.03 | 0.03 | 99.5 | | |
| 1060 | 0.25 | 0.35 | 0.05 | 0.03 | 0.03 | 0.05 | 0.03 | 0.03 | 99.6 | | |
| 1100 | Si+Fe:0.95 | | 0.05-0.2 | 0.05 | - | 0.1 | - | 0.15 | 99 | | |
| 2A12 | 0.5 | 0.5 | 3.8-4.9 | 0.3-0.9 | 1.2-1.8 | 0.3 | 0.15 | 1 | remains | | |
| 2017 | 0.2-0.8 | 0.7 | 3.5-4.5 | 0.4-0.1 | 0.4-0.8 | 0.25 | 0.15 | 0.15 | remains | | |
| 2014 | 0.5-1.2 | 0.7 | 3.9-5 | 0.4-1.2 | 0.2-0.8 | 0.25 | 0.15 | 0.15 | remains | | |
| 3003 | 0.6 | 0.7 | 0.05-0.2 | 1.0-1.5 | - | 0.1 | - | 0.15 | remains | | |
| 3005 | 0.6 | 0.7 | 0.3 | 1.0-1.5 | 0.2-0.6 | 0.25 | 0.1 | 0.15 | remains | | |
| 3105 | 0.6 | 0.7 | 0.3 | 0.3-0.8 | 0.2-0.8 | 0.4 | 0.1 | 0.15 | remains | | |
| 5005 | 0.3 | 0.7 | 0.2 | 0.2 | 0.5-1.1 | 0.25 | - | 0.15 | remains | | |
| 5052 | 0.25 | 0.4 | 0.1 | 0.1 | 2.2-2.8 | 0.1 | - | 0.15 | remains | | |
| 5083 | 0.4 | 0.4 | 0.1 | 0.4-1 | 4.0-4.9 | 0.25 | 0.15 | 0.15 | remains | | |
| 5182 | 0.2 | 0.35 | 0.15 | 0.2-0.5 | 4.0-5.0 | 0.25 | 0.15 | 0.15 | remains | | |
| 5754 | 0.4 | 0.4 | 0.1 | 0.5 | 2.6-3.6 | 0.2 | 0.15 | 0.15 | remains | | |
| 6061 | 0.4-0.8 | 0.7 | 0.15-0.4 | 0.15 | 0.8-1.2 | 0.25 | 0.15 | 0.15 | remains | | |
| 6063 | 0.2-0.6 | 0.35 | 0.1 | 0.1 | 0.45-0.9 | 0.1 | 0.1 | 0.15 | remains | | |
| 6082 | 0.7-1.3 | 0.5 | 0.1 | 0.4-1 | 0.6-1.2 | 0.2 | 0.1 | 0.15 | remains | | |
| 7075 | 0.4 | 0.5 | 1.2-2.0 | 0.3 | 2.1-2.9 | 5.1-5.6 | 0.2 | 0.15 | remains | | |

Application



Certification



QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263 Registered Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu Audited Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

> Has been assessed as conforming to meet the requirements of GB/T19001-2016 / ISO9001:2015

> > for the scope of activities

Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related management activities

Certificate No:609-22-QR-08513-R0-S

Issue Date:2022-12-28

Term of validity:2025-12-27





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C256-M

Certificate issuer: gaofei

Company stamp:





valid. The status of the certificate can be scanned and can also be confi company website:hdcciso.com and the official website of the National Certification and Supervision Commission at:www.cnca.gov.cn.

FAQ

Q1: Can you cut the materials into small sizes

A: Yes, we can do it to meet you need.

Q2: What's your minimum order quantity (MOQ)

A: We accept small orders, a small amount of samples is ok.

Q3: Can you provide sample?

A: Yes, we can provide you sample, but you need to pay for the sample and freight firstly. We will return the sample fee after you make an order.

Q4: Can you provide Certificates for aluminum materials?

Q: Yes,we can supply MTC-Material Test Certificate.

Q5: What's the delivery time for orders?

A:Normally it takes 3-10 working days, or mutual agreement.



JANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



@ aluminium-sheetcoil.com