


ASTM 5005 5052 Aluminium Alloy Coil 2mm 5mm Anodized Surface For Building

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 4000series, 5000series, 6000series, 7000series, 8000series, 9000series
- Minimum Order Quantity: 1ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers'requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Product Name: Aluminum Coil
- Width: 600mm-2000mm Or As Required
- Certificate: ISO, SGS, CE, BV Etc.
- Processing Service: Bending, Decoiling, Cutting
- Technique: Hot Rolled, Cold Rolled, forging, casting
- Alloy Or Not: Alloy
- Highlight: **Aluminium Alloy Coil Anodized, 5052 Aluminium Alloy Coil 2mm, 5mm Alloy Aluminium Coil**



Product Description

ASTM 5005 5052 2mm 5mm Thickness Aluminium Coil Alloy Anodized Surface For Building Material


Product Introduction


Aluminum coil is a metal product used for flying shear after calendering and bending processing by casting and rolling machine. Produced in the form of continuous coil steel, with inside and outside diameters. Common alloy coils are used in a wide variety of applications. Buy any aluminum coils, it is vital that you understand the specific strain the material will face during use. Attributes to note include:

- Tensile strength
- wettability
- solderability
- Formability Corrosion resistance


Product Name	Aluminum coil
Material	1000-8000 Series
Standard	JIS, AISI, ASTM, DIN, SUS, EN, UNS, etc
Technique	Cold Rolled; Hot Rolled
Thickness	1-10mm, According to your requirements
Width	200-2200mm
Temper	O/H111 H112 H116/H321 H12/H22/H32 H14/H24/H34/H16/H26/H36 H18/H28/H38 H114/H194, etc.
Application	Roofing sheet, decoration, construction
Payment Terms	30% TT for deposit, 70% TT / 70% LC at sight balance before shipment
MOQ	1 ton, we can accept sample order.
Lead Time	7-15 working days after the receipt of 30% deposit
Packing	Waterproof paper and steel strip packed. Standard export seaworthy package or according to customer's requirements.
Price Terms	FOB, EXW, CIF, CFR

Product Details





Product Line





Packing & Shipping



Certification



FAQ

Q: ARE YOU FACTORY OR TRADER?

A: Our company is a cold rolling manufacturer of magnetic stainless steel coil since 2016. We've gained our Export Right and become an integrated company of industry and trade in order to satisfy buyer's multi-request on different material and products.

Q: HOW TO GET A SAMPLE?

A: FREE samples are available for your checking and testing. And to get free samples, you need to send us your detailed receiving address (including post code) and your DHL/FedEx/UPS account for collecting samples, courier cost will be paid in your side.

Q: HOW TO VISIT YOUR FACTORY?

A: Most of the main cities have flights to Wuxi; you can take flight to Wuxi Shuofang International Airport. If you come from Shanghai, it will take 2 hours by flight (every day 5 flights). If you come from Hongkong, it will take 1 hour by flight (every day 1 flight around noon time).



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China