


## AISI 1050 1060 1000 Series Pure Aluminium Coil Embossed Surface 1220mm Width

### Our Product Introduction

For more products please visit us on [aluminium-sheetcoil.com](http://aluminium-sheetcoil.com)

#### Basic Information

- Place of Origin: Jiangsu China
- Brand Name: Chinalco
- Certification: ASTM GB EN
- Model Number: 1050 1060 2024 5052 6061 6063 6082 7075 8011
- Minimum Order Quantity: 1 TON
- Price: Negotiable
- Packaging Details: Standard Seaworthy Packing
- Delivery Time: 7-10 days, or depends on the specific quantity
- Payment Terms: T/T,L/C
- Supply Ability: 20000tons/year



#### Product Specification

- Product Name: Aluminum Coil
- Trade Terms: FOB CIF CFR EXW
- Surface Treatment: Coated, Embossed, Anodized, Etc.
- Length: 100-6000mm
- Hardness: ≤90HB
- Color: Nature Color
- Processing Service: Decoiling, Punching, Cutting
- Thickness: 0.2-4mm
- Highlight: **AISI 1050 Pure Aluminium Coil,  
Pure Aluminium Coil Embossed Surface,  
1220mm Aluminium Pure Coil**



## Product Description

### AISI 1050 1060 1000 Series Pure Aluminium Coil Embossed Surface 1220mm Width

#### Product Description

Aluminium Coil is made of 7075 aluminium alloy, 6061 aluminium alloy and other alloys, with a thickness of 0.2-4mm, a tensile strength of  $\geq 275\text{Mpa}$ , and a length of 100-6000mm. The product is available in a variety of alloys to meet the needs of different customers. It has superior corrosion resistance and excellent wear resistance. Steel Coil has good workability and can be cut, bent, punched and formed into a variety of shapes for a variety of uses. Samples are available for customers to evaluate the quality of the product.

Thickness	0.2-2mm,etc	Length	100-12000mm,or as required
Width	20-3000mm,etc	Standard	ASTM,AISI,JIS,GB, DIN,EN
Certification	ISO, SGS,BV		
Surface Finish	Mill,bright,polished,hair line,brush,sand Blast,checkered,embossed,etching,etc		
Grade	1000 Series: 1050 1060 1070 1100 etc.		
	2000 Series: 2024 2017 2A11 2A12 2A14 etc.		
	3000 Series: 3003 3A21 etc.		
	5000 Series: 5052 5083 5754 5A02 5A05 5A06 etc.		
	6000 Series: 6061 6063 6082 etc.		
	7000 Series: 7075 7050 7A04 7A09 etc.		
Temper	H12,H14,H16,H18,H20,H22,H24,H26,H28,H32,H36,H38,HO,H111,H112,H114, H116,H118,H321.		
Payment Terms	T/T, 100%L/C at sight	Port	Shanghai
Packing	Standard export packing (inside:water proof paper,outside:steel covered with strips and pallets)		
Container Size	20ft GP:5898mm(Length)x2352mm(Width)x2393mm(High)		
	40ft GP:12032mm(Length)x2352mm(Width)x2393mm(High)		
	40ft HC:12032mm(Length)x2352mm(Width)x2698mm(High)		

#### Detailed Photo



## Applications

The 5052 aluminum coil is particularly suited for marine and aquatic applications. Its corrosion resistance is excellent, and it is very durable.

The 1060 aluminum coil is highly resistant to corrosion and is often used in chemical processing equipment and for marine applications.

The 6063 aluminum coil is often used in architectural applications for window frames, door frames, roofs, and sign frames.

The 2024 aluminum coil is often used in aerospace applications due to its high strength-to-weight ratio.

The 7075 aluminum coil is used in high-stress applications, such as aircraft and aerospace structures.

The 8011 aluminum coil is often used for food and pharmaceutical packaging.

The 6061 aluminum coil is a versatile alloy that is used in a wide range of applications, from recreational products to heavy-duty marine and aerospace structures.

## Support and Services

We provide comprehensive technical support and service for our Aluminium Coil products. Our experienced technical team is available to answer any questions you may have about product features, installation, maintenance, and repair. We also offer free technical advice and troubleshooting services.

Our team of experts is well-versed in the latest manufacturing techniques and technologies related to aluminium coils, and we can help you find the best product to suit your needs. We also provide guidance on installation and maintenance to ensure that your Aluminium Coil is always working optimally.

We offer a full range of services to meet your needs, including:

Product selection advice

Product installation

Product maintenance

Troubleshooting

For any questions or inquiries related to our Aluminium Coil products, please do not hesitate to contact us.

## Packing and Shipping

Packaging and Shipping for Aluminium Coil

The aluminium coil is packaged in cardboard boxes, wooden boxes or paper cartons and sealed with waterproof plastic film.

The packaging is designed to protect the coil from external damage during transport and storage.

Shipping for the aluminium coil is usually by air, sea or land. The shipping method depends on the requirements of the customer, the product specifications, the quantity and the delivery time.



## FAQ

Q: What is the Brand Name of Aluminium Coil?

A: The Brand Name of Aluminium Coil is Chinalco.

Q: What is the Model Number of Aluminium Coil?

A: The Model Number of Aluminium Coil is 1050 1060 2024 5052 6061 6063 6082 7075 8011.

Q: Where is the Place of Origin of Aluminium Coil?

A: The Place of Origin of Aluminium Coil is Jiangsu China.

Q: What is the Certification of Aluminium Coil?

A: The Certification of Aluminium Coil is ASTM GB EN.

Q: What is the Minimum Order Quantity of Aluminium Coil?

A: The Minimum Order Quantity of Aluminium Coil is 1 TON.

Q: What is the Packaging Details of Aluminium Coil?

A: The Packaging Details of Aluminium Coil is Standard Seaworthy Packing.

Q: What is the Delivery Time of Aluminium Coil?

A: The Delivery Time of Aluminium Coil is 7-10 days, or depends on the specific quantity



**JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China