

## AISI 7075 T6 Seamless Aluminum Tube Pipe Custom 20mm 30mm 100mm 150mm

Our Product Introduction

### Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1 Ton
- Price: Negotiable
- Packaging Details: Standard Export Seaworthy Package
- Delivery Time: 7-10 work days, depends on the order
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



### Product Specification

- Product Name: Aluminum Pipe
- Brand Name: Chinalco
- Shape: Round
- Grade: 7000 Series, 7020 7022 7050 7075
- Thickness: 0.2-150mm Or As Required
- Processing Service: Bending, Decoiling, Welding, Punching, Cutting
- Highlight: **AISI Seamless Aluminum Tube Pipe, 7075 Aluminum Tube Pipe, Aluminum Seamless Pipe 150mm**



for more products please visit us on [aluminium-sheetcoil.com](http://aluminium-sheetcoil.com)

## Product Description

### AISI 7075 T6 Aluminum Tube Seamless Pipe Custom 20mm 30mm 100mm 150mm Diameter

#### Product Introduction

Benefits of Aluminium Tube:

- 1.Strong but lightweight structure. Aluminium has an excellent strength-to-weight ratio. The strength of aluminum and aluminum alloys is equivalent to the accumulation of the weight of steel.
- 2.Durability. Aluminum materials have the ability to resist various environmental factors, including corrosive substances and ultraviolet radiation. This quality ensures the replacement of aluminum products.
- 3.Since aluminum can be made of various alloys with different properties, it can be processed through several different manufacturing processes (including rolling, extrusion, forging, casting, etc.), which can be used for almost any application

Product	Aluminium Round Pipe Tube
Standard	GB/T 6893-2000,GB/T 4437.1-2000,GB/T 4437.2-2000,ASTM B210M-05,ASTM B234M-04,ASTM B241/B241M-02,JIS H4080-2006,
Material	6061,6063,1100,3003,1060,5083,5086,5052,5154,5056,5456,2024,2014,7075,7003,7005 1060(L2),1200(L5),1100(L5-1),A1100TE,A1100BE,A3003TE,A3003TD,A5052TE,A5052TD,A5052BD,A5154TEMA5154TD,5154,A5454TE,5083(LF4),A5083TE,A5083TD,A5083BD,5A05,2A12,2024TE,2024TD,2A14,6061(T4,O,T42,T62,T6),A6061TD,6A02,6063(O,T4,T42,T6,T62,T83,T831,T832)
Diameter	0.5mm~200mm or as required
Thickness	0.6mm~150mm or as required
Length	1m,3m,5.8m,6m,12m or as required
Finishes	Oxidation, electrophoresis coating, fluorine carbon spraying,powder coating,wood grain transfer printing
Mechanical Treatment	Mechanical drawing, mechanical polishing, sandblasting, polishing, etc.
Package	Standard export seaworthy or as customers' requirements
Application	Lighting,solar reflector plate. Architectural appearance, interior decoration:ceiling,metope, Furniture,cabinets and so on. Elevator,nameplate, bags. Automotive interior and exterior decoration. Interior decoration: such as photo frame. Household appliances, refrigerator, microwave oven,
Export	Ireland,Singapore,Indonesia,Ukraine,Saudi Arabia,Spain,Canada,USA,Brazil,Thailand,Iraq,,Holland,Turkey,Kuwait,Korea,Iran,India,Egypt,Oman,Malaysia,Peru,ietnam,Mexico,etc

#### Product Detail



**Sample Room**



**Chemical Composition**

Garde	Chemical composition								
	Si	Fe	Cu	Mn	Mg	Zn	Ti	Other	Al
1050	0.25	0.4	0.05	0.05	0.05	0.05	0.03	0.03	99.5
1060	0.25	0.35	0.05	0.03	0.03	0.05	0.03	0.03	99.6
1100	Si+Fe:0.95		0.05-0.2	0.05	-	0.1	-	0.15	99
2A12	0.5	0.5	3.8-4.9	0.3-0.9	1.2-1.8	0.3	0.15	1	remains
2017	0.2-0.8	0.7	3.5-4.5	0.4-0.1	0.4-0.8	0.25	0.15	0.15	remains
2014	0.5-1.2	0.7	3.9-5	0.4-1.2	0.2-0.8	0.25	0.15	0.15	remains
3003	0.6	0.7	0.05-0.2	1.0-1.5	-	0.1	-	0.15	remains
3005	0.6	0.7	0.3	1.0-1.5	0.2-0.6	0.25	0.1	0.15	remains
3105	0.6	0.7	0.3	0.3-0.8	0.2-0.8	0.4	0.1	0.15	remains
5005	0.3	0.7	0.2	0.2	0.5-1.1	0.25	-	0.15	remains
5052	0.25	0.4	0.1	0.1	2.2-2.8	0.1	-	0.15	remains
5083	0.4	0.4	0.1	0.4-1	4.0-4.9	0.25	0.15	0.15	remains
5182	0.2	0.35	0.15	0.2-0.5	4.0-5.0	0.25	0.15	0.15	remains
5754	0.4	0.4	0.1	0.5	2.6-3.6	0.2	0.15	0.15	remains
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.25	0.15	0.15	remains
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.15	remains
6082	0.7-1.3	0.5	0.1	0.4-1	0.6-1.2	0.2	0.1	0.15	remains
7075	0.4	0.5	1.2-2.0	0.3	2.1-2.9	5.1-5.6	0.2	0.15	remains

**Application**





## Certification



## FAQ

Q1: Can you cut the materials into small sizes?

A: Yes,we can do it to meet you need.

Q2: What's your minimum order quantity (MOQ)?

A: We accept small orders,a small amount of samples is ok.

Q3: Can you provide sample?

A: Yes, we can provide you sample, but you need to pay for the sample and freight firstly. We will return the sample fee after you make an order.

Q4: Can you provide Certificates for aluminum materials ?

Q: Yes, we can supply MTC-Material Test Certificate.

Q5: What's the delivery time for orders?

A: Normally it takes 3-10 working days, or mutual agreement.



**JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China