

AISI 2A11 2024 Aluminum Bar Rod Round Shape 175mm Diameter With ISO Certificate

Basic Information

Place of Origin: Jiangsu ChinaBrand Name: Chinalco

aluminium-sheetcoil.com

Certification:
ASTM GB EN

• Model Number: 1050 1060 2024 5052 6061 6063 6082 7075

8011

Minimum Order

Quantity:

1 TON

• Price: Negotiable

Packaging Details: Standard Seaworthy Packing

• Delivery Time: 7-10 days, or depends on the specific

quantity

• Payment Terms: T/T,L/C

• Supply Ability: 20000tons/year



Product Specification

Product Name:
Aluminum Rod

• Diameter: 2mm-100mm Or As Required

Color: Silver White, Black, Can Be Customized

According To User's Requirements

Modal Number: 2A11 2024

• Alloy Or Not: Is Alloy

Surface Treatment: Polished

• Length: 1000-11000mm Or As Required

Packing: Standard Seaworthy Packing

• Highlight: 2A11 Aluminum Bar Rod,

Aluminum Bar Rod 175mm, AISI Aluminum Rod



AISI 2A11 2024 Aluminum Rod Bar Round Shape 175mm Diameter With ISO Certificate

Product Description

Aluminium rods are often used in construction projects due to their lightweight yet durable nature. They're ideal for use in scaffolding and for

reinforcing concrete structures such as bridges, walls, or other large structures. The corrosion resistance of aluminum makes it a perfect material for long-term outdoor use; it won't rust or corrode from exposure to the elements like some other metals will. It's also relatively easy to shape and bend into various forms, making it suitable for use in intricate building designs.

_		······································								
1	Production Standard	ASTM, JIS, GB, etc								
2	Material	1000 2000 3000 4000 5000 6000 7000 8000 Series								
3	Diameter	5mm-2500mm or as the customer's request								
4	Length	1000mm-11000mm or as the customer's request								
5	Surface	Coated, Embossed, Brushed, polished, Anodized, etc								
6	OEM Service	Perforated, Cutting special size, Doing flatness, Surface treatment,etc								
7	Payterm	Ex-work, FOB, CIF, CFR, etc								
8	Payment	T/T, L/C, Western Union, etc								
9	Delivery Time	Within 3 days for our stock size,15-20days for our production								
1	Package	Export standard package: bundled wooden box, suit for all kinds of transport,or as required								
1	MOQ	500kg								
1	Sample	Free and available								
3	Quality	Certificate of Test,JB/T9001C,ISO9001,SGS,TVE								
1 4	Export To	Ireland,Singapore,Indonesia,Ukraine,SaudiArabia,Spain,Canada,USA,Braz il,Thailand,Korea, India,Egypt,Kuwait,Oman,Viet Nam,South Africa,Dubai,England,Holland,,etc								
1 5	Application	Construction filed, Ships building industry, Decoration, Industry,Manufacture,Machinery and hardware fields, etc								

Detailed Photo



Applications

Aluminium rods are suitable for various industries, such as aerospace, automotive, construction, decoration, electronics, marine, and many more. It is also widely used in industrial parts, transport equipment, shipbuilding, machinery, furniture, and other areas.



Chemical Composition

	Chemical composition of deformed aluminium and aluminium alloys mass fraction%													
GRADE	C:	Fe	Cu	Mn	Mg	Cr	Ni	Zn	v	Ti	Zr	Others		41
	Si											Single	Total	Al
1050	0.25	0.4	0.05	0.05	0.05	-		0.05	0.05	0.03	-	0.03		99.5
1060	0.25	0.35	0.05	0.03	0.03	-	-	0.05	0.05	0.03	-	0.03	-	99.6
1070	0.2	0.25	0.04	0.03	0.03			0.04	0.05	0.03		0.03		99.7
1070A	0.2	0.25	0.03	0.03	0.03			0.07		0.03	-	0.03		99.7
1100	0.95 Si+Fe		0.05-0.2	0.05		-		0.1				0.05	0.15	99
1200	1.0 Si	+Fe	0.05	0.05	-	-		0.1	3.43	0.05	-	0.05	0.15	99
2A11/LY11	0.7	0.7	3.8-4.8	0.4-0.8	0.4-0.8		0.1	0.3	0.7Fe+Ni	0.15	-	0.05	0.1	Rest
2A12/LY12	0.5	0.5	3.8-4.9	0.3-0.9	1.2-1.8	-	0.1	0.3	0.5Fe+Ni	0.15	-	0.05	0.1	Res
2024	0.5	0.5	3.8-4.9	0.3-0.9	1.2-1.8	0.1		0.25		0.15	-	0.05	0.15	Res
2014	0.15-1.2	0.7	3.9-5.0	0.4-1.2	0.2-0.8	0.1		0.25		0.15		0.05	0.15	Res
3003	0.6	0.7	0.05-0.2	1.0-1.5	-	-	-	0.1	-	-	-	0.05	0.15	Res
3A21/LF21	0.6	0.7	0.2	1.0-1.6	0.05	-		0.1		0.15	-	0.05	0.1	Res
5A05	0.5	0.5	0.1	0.3-0.6	4.8-5.5	-		0.2				0.05	0.1	Res
5A06	0.4	0.4	0.1	0.5-0.8	5.8-6.8	-		0.2		0.2-0.1		0.05	0.1	Res
5052	0.25	0.4	0.1	0.1	2.2-2.8	0.15-0.35		0.1	-	-	-	0.05	0.15	Res
5083	0.4	0.4	0.1	0.4-1	4-4.9	0.05-0.25		0.25		0.15	-	0.05	0.15	Res
5086	0.4	0.5	0.1	0.2-0.7	3.4-4.5	0.05-0.25	-	0.25	-	0.15	-	0.05	0.15	Res
6005	0.6-0.9	0.35	0.1	0.1	0.4-0.6	0.1		0.1		0.1	-	0.05	0.15	Res
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1		0.1		0.1		0.05	0.15	Res
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	-	0.25	-	0.15	-	0.05	0.15	Res
6082	0.7-1.3	0.5	0.1	0.4-1	0.6-1.2	0.25	-	0.2	1-	0.1	-	0.05	0.15	Res
7A04/LC4	0.5	0.5	1.4-2	0.2-0.6	1.8-2.8	0.1-0.25		5.0-7	-	0.1	-	0.05	0.10	Res
7A09/LC9	0.5	0.5	1.2-2	0.15	2-3.0	0.16-0.3		5.1-6.1	-	0.1	-	0.05	0.10	Res
7075	0.4	0.5	1.2-2	0.3	2.1-2.9	0.18-0.28		5.1-6.1	-	0.2		0.05	0.15	Res
8011	0.5-0.9	0.6-1	0.1	0.2	0.05	0.05	-	0.1		0.08	-	0.05	0.15	Res

Packing and Shipping



Certificates



FAQ

- Q1: What is Chinalco Aluminium Rod?
- A1: Chinalco Aluminium Rod is a cylindrical product made from aluminium with a diameter greater than or equal to 6mm and a length of 1meter or more. It is usually used for aerospace, automotive, construction and other industries.
- Q2: What are the model numbers of Chinalco Aluminium Rod?
- A2: The model numbers of Chinalco Aluminium Rod are 1050 1060 2024 5052 6061 6063 6082 7075 8011.
- Q3: Where is Chinalco Aluminium Rod manufactured?
- A3: Chinalco Aluminium Rod is manufactured in Jiangsu, China.
- Q4: What certifications does Chinalco Aluminium Rod have?
- A4: Chinalco Aluminium Rod is certified by ASTM GB EN.
- Q5: What is the minimum order quantity of Chinalco Aluminium Rod?
- A5: The minimum order quantity of Chinalco Aluminium Rod is 1 TON.





+8618151700330





@ aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China