



ASTM 6063 Aluminum Alloy Angle L Shapes 20mm Customized For Building

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1 ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers' requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Product Name: Aluminum Angle
- Shape: Angle
- Quality Standard: GB 5237-2008
- Thickness: 0.4mm - 20mm Or Customized
- Alloy Or Not: Is Alloy
- Feature: Eco-Friendly
- Highlight: **ASTM 6063 Aluminum Angle, Customized ASTM Aluminum Alloy Angle, 20mm Aluminum Alloy Angle**



for more products please visit us on aluminium-sheetcoil.com

Product Description


High Quality ASTM 6063 Aluminum Angle L Shapes Customized Size For Building

Product Description


The 6063 aluminum angle is an alloy that is particularly used for commercial applications. Some of the characteristics that make it a popular choice are its strength, cost effectiveness, resistance to corrosion, excellent weldability, great formability and extrudability. Its finishing characteristics are also desirable for the applications that it is used for. The 6063 aluminum alloy can also be easily anodized for color matching with alloys like 5052 and 3003, along with improving its corrosion resistance. The aluminum angle is typically used for architectural purposes – it has sharp corners on the inside and outside.

Item	value
Place of Origin	Jiangsu,China
Application	Making pipes, cutting sheets, making small tools, making corrugated sheets, making container, making fences
Type	Aluminum angle
Thickness	0.4-20mm or as required
Standard	AISI, ASTM, bs, DIN, GB, JIS
Width	600-2300mm or as required
Length	Customers' requirement
Certificate	GS,ISO
Tolerance	±1%
Processing Service	Bending, Welding, Decoiling, Cutting, Punching
Aluminium Content	45%-55%
Oiled or Non-oiled	Slightly Oiled
Hardness	Hard
Delivery Time	8-14 days or as required
Packages	Standard Seaworthy Packing

Product Detail



Packing



Certification



FAQ

Q: ARE YOU FACTORY OR TRADER?

A: Our company is a cold rolling manufacturer of magnetic stainless steel coil since 2016. We've gained our Export Right and become an integrated company of industry and trade in order to satisfy buyer's multi-request on different material and products.

Q: HOW TO GET A SAMPLE?

A: FREE samples are available for your checking and testing. And to get free samples, you need to send us your detailed receiving address (including post code) and your DHL/FedEx/UPS account for collecting samples, courier cost will be paid in your side.

Q: HOW TO VISIT YOUR FACTORY?

A: Most of the main cities have flights to Wuxi; you can take flight to Wuxi Shuofang International Airport.

If you come from Shanghai, it will take 2 hours by flight (every day 5 flights).

If you come from Hongkong, it will take 1 hour by flight (every day 1 flight around noon time).



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China