

6061 6063 T5 T6 Aluminium Flat Bar Extrusion Profile 6mm 8mm Thickness Standard Size

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1 Ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Product Name: Aluminum Flat Bar
- Model Number: 6061 6063
- Thickness: 0.8mm-20mm Or As Required
- Shape: Rectangular
- Color: Silver
- Trade Terms: FOB CIF CFR EXW
- Highlight: 8mm Aluminium 6061 Flat Bar, Extrusion Profile Aluminium Flat Bar, 6063 T5 Aluminium Flat Bar



for more products please visit us on aluminium-sheetcoil.com

Product Description

Extrusion Profile 6061 6063 T5 T6 Aluminium Flat Bar 6mm 8mm Thickness Standard Size

Product Description

Aluminum Flat Bar, is an extruded solid aluminum rectangle bar that is easy to work with and has a wide range of applications. Aluminum Flats are widely used for all types of fabrication projects where lightweight and corrosion resistance is a concern.

Product Name	Aluminium bar
Property	Anti-corrosion, heat resistant
Surface	Mill finish, no stains, without rough selvedge
Alloy	1100/1050/1060/1070/1200/1350
	3003/3004/3104/3005/3105
	2014/2017A/2024/2A12/2219
	5005/5052/5082/8083/5182/5251/5454/5754
	6061/6082/6063/6K61/6Z61
	7072/7075
	8011
Temper	HO,H12,H14,H16,H18,H19,H22,H24,H26,H28,F,H112,T651,T3,T451,T4,T6,ect
Process	Hot rolled &Cold rolled
Thickness	0.8mm-40mm or as required
Width	900mm-3000mm or as required
Length	Max 11000mm
Standard	GBT3880-2012,AMS-QQA-250/12,AMS-4027,BS1470, ASTM B209, EN485 and JIS H4000
Package	Export wooden pallets, craft paper, anti-blushing agent or according to your requirement
Application	Building,Boat,Truck,Tanker,Machine

Remark	Details can be discussed further.
--------	-----------------------------------

Mechanical Properties

Grade	Hardness	Tensile Strength	Yield Strength	Elongation(%)	
		(MPa)	(MPa)	0.25-1.25mm	1.26-3.0mm
1100	O	89.6	34.5	30	6
	H12	110.3	103.4	4	12
	H14	124.1	117.2	3	10
2024	O	186.2	75.8	18	20
	T3	482.6	344.7	16	18
	T4	468.8	324.1	20	19
3003	O	110.3	41.4	30	33
	H12	131	124.1	9	11
	H14	151.7	144.8	3	7
5052	O	193.1	89.6	20	21
	H32	227.5	193.1	7	10
	H34	262	213.7	6	8
5083	O	275.8	144.8	21	25
	H32	282.7	151.7	20	21
	H34	330.9	255.1	11	14
6061	O	124.1	55.2	25	26
	T4	241.3	144.8	22	24
	T6	310.3	275.8	12	17
7075	O	227.5	103.4	16	18
	T6	572.3	503.3	11	12

Product Detail



Packing and Shippment



Certification



FAQ

Q: ARE YOU FACTORY OR TRADER?

A: Our company is a cold rolling manufacturer of magnetic stainless steel coil since 2016. We've gained our Export Right and become an integrated company of industry and trade in order to satisfy buyer's multi-request on different material and products.

Q: HOW TO GET A SAMPLE?

A: FREE samples are available for your checking and testing. And to get free samples, you need to send us your detailed receiving address (including post code) and your DHL/FedEx/UPS account for collecting samples, courier cost will be paid in your side.

Q: HOW TO VISIT YOUR FACTORY?

A: Most of the main cities have flights to Wuxi; you can take flight to Wuxi Shuofang International Airport. If you come from Shanghai, it will take 2 hours by flight (every day 5 flights). If you come from Hongkong, it will take 1 hour by flight (every day 1 flight around noon time).



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China