

AISI 1050 3003 Color Coated Aluminium Coil 0.5mm 1220mm Width For Building

Basic Information

Place of Origin:	Jiangsu China
Brand Name:	Chinalco
Certification:	ASTM GB EN
Model Number:	1050 1060 2024 5052 6061 6063 6082 7075 8011
 Minimum Order Quantity: 	1 TON
Price:	Negotiable
 Packaging Details: 	Standard Seaworthy Packing
Delivery Time:	7-10 days, or depends on the specific quantity
Payment Terms:	T/T,L/C
 Supply Ability: 	20000tons/year



Product Specification

Highlight:	AISI 1050 3003 Color Coated Aluminium Coil, Color Coated Aluminium 1050 Coil,
Thickness:	0.2-4mm
Processing Service:	Decoiling, Punching, Cutting
Color:	Nature Color
Application:	Decoration, Roof, Construction Etc
Length:	100-6000mm
Coil Weight:	3-8 MT/Coil
• Trade Terms:	FOB CIF CFR EXW
Product Name:	Aluminum Coil

0.5mm Aluminium 1050 Coil



AISI 1050 3003 0.5mm Thick Aluminium Coil 1220mm Width Color Coated For Building

Product Description

Coated aluminum coil and sheet are more resistant to keep food fresh. Coated aluminum coil and sheet improves anticorrosive properties of aluminum, which are commonly used in food packaging, containers and cans. In addition, the application of coated aluminum coil and sheet embraces large industries including composite panel, ceiling, door, windows and electric appliances.

Product	ALUMINUM PREPAINTED COILS	
Material	1000 series, 3000 series, 5000 series, 6000 series, 8000 series	
Thickne	Roll coated 0.2mm4.5mm	
ss		
Toleran	+/-0.1mm even 0.01mm	
се		
Finishin	n Color coated, as per RAL code, Brushed, Mirror, Embossed, Sandblasted, etc	
g		
Range	Decoration, roof, industry, architecture, container plate, etc	
ITemper I	O/H111 H112 H116/H321 H12/H22/H32 H14/H24/H34/H16/H26/H36	
	H18/H28/H38 H114/H194 etc.	
Туре	Coil	
MOQ	1 ton	
71		

Detailed Photo



Applications

The 5052 aluminum coil is particularly suited for marine and aquatic applications. Its corrosion resistance is excellent, and it is very durable.

The 1060 aluminum coil is highly resistant to corrosion and is often used in chemical processing equipment and for marine applications.

The 6063 aluminum coil is often used in architectural applications for window frames, door frames, roofs, and sign frames.

The 2024 aluminum coil is often used in aerospace applications due to its high strength-to-weight ratio.

The 7075 aluminum coil is used in high-stress applications, such as aircraft and aerospace structures.

The 8011 aluminum coil is often used for food and pharmaceutical packaging.

The 6061 aluminum coil is a versatile alloy that is used in a wide range of applications, from recreational products to heavyduty marine and aerospace structures.

Support and Services

We provide comprehensive technical support and service for our Aluminium Coil products. Our experienced technical team is available to answer any questions you may have about product features, installation, maintenance, and repair. We also offer free technical advice and troubleshooting services.

Our team of experts is well-versed in the latest manufacturing techniques and technologies related to aluminium coils, and we can help you find the best product to suit your needs. We also provide guidance on installation and maintenance to ensure that your Aluminium Coil is always working optimally.

We offer a full range of services to meet your needs, including:

Product selection advice

Product installation

Product maintenance

Troubleshooting

For any questions or inquiries related to our Aluminium Coil products, please do not hesitate to contact us.

Packing and Shipping

Packaging and Shipping for Aluminium Coil

The aluminium coil is packaged in cardboard boxes, wooden boxes or paper cartons and sealed with waterproof plastic film. The packaging is designed to protect the coil from external damage during transport and storage.

Shipping for the aluminium coil is usually by air, sea or land. The shipping method depends on the requirements of the customer, the product specifications, the quantity and the delivery time.



FAQ

Q: What is the Brand Name of Aluminium Coil?

A: The Brand Name of Aluminium Coil is Chinalco.

Q: What is the Model Number of Aluminium Coil?

A: The Model Number of Aluminium Coil is 1050 1060 2024 5052 6061 6063 6082 7075 8011.

Q: Where is the Place of Origin of Aluminium Coil?

A: The Place of Origin of Aluminium Coil is Jiangsu China.

Q: What is the Certification of Aluminium Coil?

A: The Certification of Aluminium Coil is ASTM GB EN.

Q: What is the Minimum Order Quantity of Aluminium Coil?

A: The Minimum Order Quantity of Aluminium Coil is 1 TON.

Q: What is the Packaging Details of Aluminium Coil?A: The Packaging Details of Aluminium Coil is Standard Seaworthy Packing.

Q: What is the Delivery Time of Aluminium Coil?

A: The Delivery Time of Aluminium Coil is 7-10 days, or depends on the specific quantity

JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD

Selection (Content of the selection) (Content