


6061 T6 Aluminum Alloy Profile H Beam 100*100mm For Structure

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1 Ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Product Name: Aluminum H Beam
- Shape: H Shape
- Delivery Time: Within 7 Days
- Color: Silver White
- Application: Construction
- Length: Custom Length
- Highlight: **6061 T6 Aluminum Alloy H Beam, Aluminum Profile H shape Beam, 100*100mm Aluminum H Beam**



for more products please visit us on aluminium-sheetcoil.com

Product Description


6061 T6 GB Standard Aluminum H Beam Alloy Profile 100*100mm For Structure

Product Description

Aluminum H-beam is an economical and efficient section with more optimized section area distribution and more reasonable strength-to-weight ratio. It is named because its section is the same as the English letter "H". Due to the various parts of H beam are arranged at right angles, H beam has the advantages of strong bending resistance, simple construction, cost saving and light structure weight in all directions, and has been widely used.

| Grade | Hardness | Tensile Strength (MPa) | Yield Strength (MPa) | Elongation(%) | |
|-------|----------|---------------------------|-------------------------|---------------|------------|
| | | | | 0.25-1.25mm | 1.26-3.0mm |
| 1100 | O | 89.6 | 34.5 | 30 | 6 |
| | H12 | 110.3 | 103.4 | 4 | 12 |
| | H14 | 124.1 | 117.2 | 3 | 10 |
| 2024 | O | 186.2 | 75.8 | 18 | 20 |
| | T3 | 482.6 | 344.7 | 16 | 18 |
| | T4 | 468.8 | 324.1 | 20 | 19 |
| 3003 | O | 110.3 | 41.4 | 30 | 33 |
| | H12 | 131 | 124.1 | 9 | 11 |
| | H14 | 151.7 | 144.8 | 3 | 7 |
| 5052 | O | 193.1 | 89.6 | 20 | 21 |
| | H32 | 227.5 | 193.1 | 7 | 10 |
| | H34 | 262 | 213.7 | 6 | 8 |
| 5083 | O | 275.8 | 144.8 | 21 | 25 |
| | H32 | 282.7 | 151.7 | 20 | 21 |
| | H34 | 330.9 | 255.1 | 11 | 14 |
| 6060 | O | 124.1 | 55.2 | 25 | 26 |
| | T4 | 241.3 | 144.8 | 22 | 24 |
| | T6 | 310.3 | 275.8 | 12 | 17 |
| 7075 | O | 227.5 | 103.4 | 16 | 18 |
| | T6 | 572.3 | 503.3 | 11 | 12 |

Product Details



Packing and Shipment



Certification



FAQ

1. How could I get a sample?

Before we received the first order, please afford the sample cost and express fee. We will return the sample cost back to you within your first order.

2. Sample time?

Existing items: Within 5-7 days, depends on the specific quantity.

3. Whether you could make your products by our color?

Yes, The color of products can be customized if you can meet our MOQ.

4. How to guarantee the quality of your products?

- 1) Strict detection during production.
- 2) Strict sampling inspection on products before shipment and intact product packaging ensured.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China