

Polished Surface Aluminum H Beam ASTM 6061 6063 6082 1mm 2mm

Basic Information

Place of Origin: Jiangsu,China
Brand Name: LIANZHONG
Certification: ISO9001

Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series

Minimum Order Quantity: 1 TonPrice: Negotiable

Packaging Details: Exporting package/wooden box package etc

Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union
Supply Ability: 20000 Ton/Tons per Month



Product Specification

Product Name: Aluminum H Beam

• Shape: H Shape

• Trade Terms: FOB CIF CFR EXW

• Thickness: 0.6mm-10mm Or As Required

Application: ConstructionLength: Custom Length

Highlight: Polished Surface Aluminum H Beam,
ASTM 6063 Aluminum H Beam,

Aluminum 2mm H Beam

ASTM 6061 6063 6082 Aluminum H Beam 1mm 2mm Thickness H Shape Polished Surface


Product Description

Typical applications include structural components for commercial sites and residential homes such as rafters, awnings, trailers, overhead supports and walkways. Aluminum Association beam products tend to be more versatile as the thicker, straight-edged flanges allow for easier connections and fitting.

Product name	H Beam Steel				
Standard	AISI, ASTM, BS, DIN, GB, JIS, EN,etc				
Thickness	0.6-10mm or as required				
Shape	H shape				
Method of	hot-rolling				
processing					
Size	100*50*5*7mm or as required				
Surface	Polished				
Minimum	1 ton				
order quantity	i tori				
Application	Industrial structure of the steel structure bearing bracket 2.Underground engineering steel pile and retaining structure				
	3. Petrochemical and electric power and other industrial equipment structure				
	4.Large span steel bridge components				
	5.Ships,machinery manufacturing frame structure				
	6.The train, automobile, tractor beam bracket				
	7.Port of conveyor belt, high speed damper bracket				

Grade	Hardne	Tensile Strength	Yield Strength	Elongation(%)	
	ss	(MPa)	(MPa)	0.25-1.25mm	1.26-3.0mm
1100	0	89.6	34.5	30	6
	H12	110.3	103.4	4	12
	H14	124.1	117.2	3	10
2024	0	186.2	75.8	18	20
	T3	482.6	344.7	16	18
	T4	468.8	324.1	20	19
3003	0	110.3	41.4	30	33
	H12	131	124.1	9	11
	H14	151.7	144.8	3	7
5052	0	193.1	89.6	20	21
	H32	227.5	193.1	7	10
	H34	262	213.7	6	8
5083	0	275.8	144.8	21	25
	H32	282.7	151.7	20	21
	H34	330.9	255.1	11	14
6060	0	124.1	55.2	25	26
	T4	241.3	144.8	22	24
	T6	310.3	275.8	12	17
7075	0	227.5	103.4	16	18
	T6	572.3	503.3	11	12

Product Details



Packing and Shippment



Certification



QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263 Registered Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu Audited Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

> Has been assessed as conforming to meet the requirements of GB/T19001-2016 / ISO9001:2015

> > for the scope of activities

Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related management activities

Certificate No:609-22-QR-08513-R0-S

Issue Date:2022-12-28

Term of validity:2025-12-27





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C256-M

Certificate issuer: gaofei

Company stamp:



valid. The status of the certificate can be scanned and can also be confi company website:hdcciso.com and the official website of the National Certification and Supervision Commission at:www.cnca.gov.cn.

FAQ

1. How could I get a sample?

Before we received the first order, please afford the sample cost and express fee. We will return the sample cost back to you within your first order.

2.Sample time?

Existing items: Within 5-7 days, depends on the specific quantity.

3. Whether you could make your products by our color?

Yes, The color of products can be customized if you can meet our MOQ.

- 4. How to guarantee the quality of your products?
- 1) Strict detection during production.
- 2) Strict sampling inspection on products before shipment and intact product packaging ensured.

JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



@ aluminium-sheetcoil.com