


Customized Aluminum Plate Sheet Polished 1060 12mm

Our Product Introduction

For more products please visit us on aluminium-sheetcoil.com


Basic Information

- Place of Origin: Jiangsu China
- Brand Name: Chinalco
- Certification: ASTM GB EN
- Model Number: 1050 1060 2024 5052 6061 6063 6082 7075 8011
- Minimum Order Quantity: 1 TON
- Price: Negotiable
- Packaging Details: Standard Seaworthy Packing
- Delivery Time: 7-10 days, or depends on the specific quantity
- Payment Terms: T/T,L/C
- Supply Ability: 20000tons/year



Product Specification

- Shape: Flat Sheet
- Processing Technology: Hot Rolling, Cold Rolling
- Length: 1000mm-11000mm Or As Required
- Hardness: H12, H14, H16, H18, H22, H24, H26, H32, H34, H36, H38, Etc.
- Trade Terms: FOB CIF CFR EXW
- Tolerance: $\pm 0.02\text{mm}$
- Color: Silver, Golden, Black, Etc.
- Surface Treatment: Mill Finish, Anodized, Brushed, Embossed, Etc.
- Highlight: **Polished Aluminum Plate Sheet,
Aluminum 1060 Plate Sheet,
Aluminum Plate 12mm**



Product Description:

Aluminium Sheet

Aluminium Sheet is a widely used product in many fields due to its excellent properties. It has good mechanical properties, good plasticity, high strength, and corrosion resistance. It is used in the manufacture of aircraft parts, motor parts, automobile parts, marine parts, construction materials, and other industrial and daily necessities.

Aluminium Sheet is available in a variety of grades, such as 6063 Aluminum Sheet, 1050 Aluminum Sheet, 5082 Aluminum Sheet, and 5083 Aluminum Sheet. The tolerance is $\pm 0.02\text{mm}$. It has various hardness from H12 to H38, and the thickness can be 0.5mm-200mm or as required. The processing technology includes hot rolling and cold rolling.



Technical Parameters:

Trade Terms	Parameters
Material	Aluminium
Hardness	H12, H14, H16, H18, H22, H24, H26, H32, H34, H36, H38, Etc.
Width	1000mm-2000mm Or As Required
Shape	Flat Sheet
Surface Treatment	Mill Finish, Anodized, Brushed, Embossed, Etc.
Processing Technology	Hot Rolling, Cold Rolling
Length	1000mm-11000mm Or As Required
Standard	ASTM, GB, EN, Etc.
Tolerance	$\pm 0.02\text{mm}$

Applications:

Aluminium Sheet can be used in a variety of applications, such as in automotive, aerospace, construction, electrical, chemical, machinery, transportation and other industries. It is often used in aircraft parts, fuel tank cover, automotive parts, shipbuilding, container manufacturing, radiator tanks, roofing, building decoration, and other components. The surface of the aluminium sheet can be polished, brushed, embossed and other treatments, to provide customers with a variety of choices. The product is certified by ASTM, GB, and EN and packed in standard seaworthy packaging to ensure quality.



Support and Services:

Aluminium Sheet Technical Support and Service:

Product information

Technical advice

Installation advice

Repair services

Maintenance services

Training services

Packing and Shipping:

Packaging and Shipping for Aluminium Sheet:

Aluminium sheet is usually packed in wooden pallets and covered with plastic film. The maximum weight per pallet is up to 2000 kg, and the maximum size per pallet is 2.8*1.6m. The pallets will then be packed into containers for shipping.



FAQ:

Q: What is the Brand-Name of Aluminium Sheet? -----

A: The Brand Name is Chinalco.

Q: What is the Model Number of Aluminium Sheet?

A: The Model Number is 1050 1060 2024 5052 6061 6063 6082 7075 8011.

Q: Where is the Place of Origin of Aluminium Sheet?

A: The Place of Origin is Jiangsu China.

Q: What kind of Certification does Aluminium Sheet have?

A: The Certification is ASTM GB EN.

Q: What is the Minimum Order Quantity for Aluminium Sheet?

A: The Minimum Order Quantity is 1 TON.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China