

Mirror Surface Anodized Aluminium Sheet 5052 6061 T6 6063 7075 2mm 3mm 4mm

Basic Information

aluminium-sheetcoil.com


Place of Origin:	Jiangsu China
Brand Name:	Chinalco
Certification:	ASTM GB EN
Model Number:	1050 1060 2024 5052 6061 6063 6082 7075 8011
Minimum Order Quantity:	1 TON
Price:	Negotiable
Packaging Details:	Standard Seaworthy Packing
Delivery Time:	7-10 days, or depends on the specific quantity
Payment Terms:	T/T,L/C
 Supply Ability: 	20000tons/year



- 61

Product Specification


• Material:	Aluminium
Package:	Standard Export Package
Surface Treatment:	Mill Finish, Anodized, Brushed, Embossed, Etc.
Thickness:	0.5mm-200mm Or As Required
Standard:	ASTM, GB, EN, Etc.
Standard:	ASTM, GB, EN, Etc.
Hardness:	H12, H14, H16, H18, H22, H24, H26, H32, H34, H36, H38, Etc.
• Width:	1000mm-2000mm Or As Required
• Tolerance:	±0.02mm
Highlight:	Mirror Surface Anodized Aluminium Sheet, Aluminium 6061 T6 Sheet, 7075 2mm Aluminium Sheet



Product Description:

Aluminium Sheet is a kind of metal sheet widely used in various industries. It is made of 1060 aluminum which is a commonly used aluminum alloy. The processing technology includes hot rolling and cold rolling, which can be customized according to customer requirements. Surface treatment includes mill finish, anodized, brushed and embossed. Tolerance is ±0.02mm and thickness is 0.5mm-200mm or as required.

Aluminium Sheet has many advantages, such as light weight, high strength, good corrosion resistance, good weldability and good processability. It is also very environmentally friendly, and at the same time has a relatively low cost, making it an ideal choice for many industries.



Technical Parameters:

Parameter	Value
Standard	ASTM, GB, EN, Etc.
Application	Building Construction, Decoration, Chemical Industry Container
Package	Standard Export Package
Hardness	H12, H14, H16, H18, H22, H24, H26, H32, H34, H36, H38, Etc.
Length	1000mm-11000mm Or As Required
Width	1000mm-2000mm Or As Required
Thickness	0.5mm-200mm Or As Required
Shape	Flat Sheet
Color	Silver, Golden, Black, Etc.
Trade Terms	FOB, CIF, CFR, EXW
Material	6061 Aluminum Sheet, 6063 Aluminum Sheet, Aluminum Sheet

Applications:

Aluminium Sheet, from the world-renowned brand Chinalco, is a type of aluminum alloy sheet which is certified to ASTM GB EN_____



Support and Services:

Our technical support and service for Aluminium Sheet includes: Assistance with material selection and product design Detailed technical information and advice In-house testing and evaluation services Product training and seminars Post-sales technical support and troubleshooting On-site installation and maintenance Warranty and after-sales services

Packing and Shipping:

Aluminium Sheet Packaging and Shipping: The aluminium sheet is wrapped in a protective film to prevent scratches. The aluminium sheet is then placed in a corrugated cardboard box for shipping. The box is then sealed with packing tape to secure it. The box is then labelled with the appropriate shipping information.



FAQ:

- Q1: What is the brand name of the Aluminium Sheet?
- A1: The brand name of the Aluminium Sheet is Chinalco.
- Q2: What are the model numbers of the Aluminium Sheet?
- A2: The model numbers of the Aluminium Sheet are 1050 1060 2024 5052 6061 6063 6082 7075 8011.
- Q3: Where is the Aluminium Sheet from?
- A3: The Aluminium Sheet is from Jiangsu, China.
- Q4: What certifications do the Aluminium Sheet have?
- A4: The Aluminium Sheet have ASTM GB EN certifications. Q5: What is the minimum order quantity of the Aluminium Sheet?
- A5: The minimum order quantity of the Aluminium Sheet is 1 TON.



+8618151700330 Sales02@jslzsteel.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China