

Brushed Anodized Aluminium Alloy Plate Coil ASTM B209 6061 T6 1100 1000mm

Our Product Introduction

For more products please visit us on aluminium-sheetcoil.com

Basic Information

- Place of Origin: Jiangsu China
- Brand Name: Chinalco
- Certification: ASTM GB EN
- Model Number: 1050 1060 2024 5052 6061 6063 6082 7075 8011
- Minimum Order Quantity: 1 TON
- Price: Negotiable
- Packaging Details: Standard Seaworthy Packing
- Delivery Time: 7-10 days, or depends on the specific quantity
- Payment Terms: T/T,L/C
- Supply Ability: 20000tons/year



Product Specification

- Color: Nature Color
- Processing Service: Decoiling, Punching, Cutting
- Width: 100-1800mm
- Material: Aluminium
- Sample: Available
- Trade Terms: FOB CIF CFR EXW
- Temper: O - H112
- Highlight: **Aluminium Alloy 6061 Coil,
Anodized Aluminium Alloy Plate Coil,
1000mm Aluminium Alloy Plate Coil**



Product Description:

Aluminium Coil is a type of metal strip product manufactured from high-grade aluminum alloys. It has excellent electrical conductivity, good corrosion resistance, and high strength-to-weight ratio making it ideal for various applications. It is widely used in automotive, electrical, and industrial industries. Aluminium Coil is available in various sizes and shapes such as round, flat, or rectangular. Aluminium Coil is manufactured with the highest quality materials to meet all ASTM standards. It has a tensile strength of $\geq 275\text{Mpa}$ and can be produced in lengths ranging from 100-6000mm and widths from 100-1800mm. The surface of the Aluminium Coil can be coated, embossed, anodized, or otherwise treated depending on the specific application.



Technical Parameters:

Parameter	Details
Packing	Standard Export Packing
Surface Treatment	Coated, Embossed, Anodized, Etc.
Trade Terms	FOB CIF CFR EXW
Material	6061 Aluminum Coil, 5052 Aluminum Coil, 6061 Aluminum Coil Price
Width	100-1800mm
Tensile Strength	$\geq 275\text{Mpa}$
Color	Nature Color
Thickness	0.2-4mm
Length	100-6000mm
Hardness	$\leq 90\text{HB}$

Applications:

Light industry, aviation, shipbuilding, metallurgy, instrumentation, electrical appliances, stainless steel products, steel structure building and decoration industries.



Support and Services:

Technical Support and Service for Aluminium Coil

- Provide technical advice and support regarding product selection.
- Provide recommendations for the most suitable product for specific applications.
- Provide support in the form of troubleshooting and technical assistance.
- Provide training to ensure proper operation and maintenance of the product.
- Provide repair and maintenance services for the product.
- Provide customer service for any inquiries or complaints about the product.

Packing and Shipping:

Packaging and Shipping of Aluminium Coil

- Aluminium coils are packaged in wooden boxes, wooden pallets or cardboard boxes with strong straps.
- The shipping method for Aluminium coils can be via sea, air or land.



The Sample Delivery



FAQ:

Q: Do you provide samples ?How can I get a sample to check your quality?. Is it free or extra?

A: Free samples are available for your checking and testing. And to get free samples, you need to send us you detailed receiving address (including post code) and your DHL/FedEx/UPS account for collecting samples, courier cost will be paid in your side.

Q: How is the quality of your products?

A: Our products are manufactured strictly according to national and international standard, and we take a test before delivered out. If you want see our quality certifications and all kinds of testing report, please just ask us for it.

Q: Are you factory or trader?

A: Our company steel has been manufacturing and selling steel products for many years since 2009. We've gained our Export Right and become an integrated company of industry and trade in order to satisfy buyer's multi-request on different material and products.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China