

# 6063 H14 H22 Aluminum Coil 0.2-4mm Embossed Surface For Roofing Building

# **Basic Information**

aluminium-sheetcoil.com

Place of Origin:	Jiangsu China
Brand Name:	Chinalco
Certification:	ASTM GB EN
Model Number:	1050 1060 2024 5052 6061 6063 6082 7075 8011
Minimum Order     Quantity:	1 TON
Price:	Negotiable
<ul> <li>Packaging Details:</li> </ul>	Standard Seaworthy Packing
Delivery Time:	7-10 days, or depends on the specific quantity
Payment Terms:	T/T,L/C
<ul> <li>Supply Ability:</li> </ul>	20000tons/year



A Campo

# **Product Specification**

• Width:	100-1800mm
Material:	Aluminium
• Sample:	Avaliable
• Hardness:	≤90HB
Processing Service:	Decoiling, Punching, Cutting
Color:	Nature Color
• Temper:	O - H112
Length:	100-6000mm
• Highlight:	6063 H14 Aluminum Coil, Aluminum Coil 04mm, Embossed Aluminum Coil For Roofing Building



#### **Product Description:**

Aluminium Coil is a widely used building material. It has excellent corrosion resistance, high tensile strength, good formability and ductility. It is available with thickness of 0.2-4mm, and with sample available, it is the ideal material for construction, decoration, packaging and other industries. The tensile strength is up to ≥275Mpa, and the surface can be coated, embossed, anodized, etc. Moreover, it can be processed by decoiling, punching and cutting.



## **Technical Parameters:**

Parameters	Details
Material	6061 Aluminum Coil, 1050 Aluminum Coil, Steel Coil
Packing	Standard Export Packing
Processing Service	Decoiling, Punching, Cutting
Color	Nature Color
Thickness	0.2-4mm
Brand Name	Chinalco
Sample	Avaliable
Trade Terms	FOB CIF CFR EXW
Application	Industry, Construction, Decoration, Etc.
Hardness	≤90HB
Width	100-1800mm

**Applications:** 



### Support and Services:

Aluminium Coil Technical Support and Service

We provide professional technical support and service for our customers on Aluminium Coil.

We provide detailed technical advice on Aluminium Coil, and help troubleshoot any issues.

We provide onsite installation services for our customers.

We provide long-term maintenance services and spare parts replacement.

We provide periodic maintenance and repair services.

We provide timely technical training and guidance for customers.

#### **Packing and Shipping:**

Aluminium Coil Packaging and Shipping: Aluminium coils are typically packaged in wooden cases or onto pallets and then secured with strapping or shrink wrap. The entire package is then covered with a waterproof material to protect it from the elements during transport. Shipping of aluminium coils is typically done by truck, rail, or by sea depending on the size of the order and the destination. The coils are loaded onto the appropriate vehicle, secured and then transported to the delivery destination.



Singapore, Indonesia, Korea, dubai, Sri Lanka, Iran, Malaysia, Mexico, Chile, Brazil, Netherlands, Italy, Belgium, moldova, Russia, Spain, United States, Ukraine, belarus, Cambodia, etc.

#### FAQ:

Q: Do you provide samples ?How can l get a sample to check your quality? Is it free or extra? A: Free samples are available for your checking and testing. And to get free samples, you need to send us you detailed receiving address (including post code) and your DHL/FedEx/UPS account for collecting samples, courier cost will be paid in your side.

Q: How is the quality of your products?

A: Our products are manufactured strictly according to national and international standard, and we take a test before delivered out. If you want see our quality certifications and all kinds of testing report, please just ask us for it.

Q: Are you factory or trader?

A: Our company steel has been manufacturing and selling steel products for many years since 2009. We've gained our Export Right and become an integrated company of industry and trade in order to satisfy buyer's multi-request on different material and products.



€ +8618151700330 E sales02@jslzsteel.com €

@ aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China