

ASTM 6061 6063 Embossed Surface Aluminum Coil 2mm 3mm 4mm 1060 For Roofing

Basic Information

Place of Origin: Jiangsu China

aluminium-sheetcoil.com

Brand Name: Chinalco

Certification: ASTM GB EN

• Model Number: 1050 1060 2024 5052 6061 6063 6082 7075

8011

Minimum Order

Quantity:

1 TON

• Price: Negotiable

Packaging Details: Standard Seaworthy Packing

• Delivery Time: 7-10 days, or depends on the specific

quantity

• Payment Terms: T/T,L/C

• Supply Ability: 20000tons/year



Product Specification

Material: AluminiumHardness: ≤90HB

• Application: Industry, Construction, Decoration, Etc.

Width: 1000-2200mm Or Customized
Processing Service: Decoiling, Punching, Cutting

• Temper: O - H112

• Thickness: 0.2-4mm Or As Required

Trade Terms: FOB CIF CFR EXW

Highlight: Embossed Surface Aluminum Coil,

ASTM 6063 Aluminum Coil, Aluminum Coil 3mm



Product Description:

Material: Aluminum coils are made from aluminum, which is a lightweight and corrosion-resistant metal. The most commonly used aluminum alloy for coils is 3003, although other alloys such as 1100, 5052, and 6061 may also be used depending on the application.

Manufacturing Process: Aluminum coils are typically produced through a process known as continuous casting and rolling. In this process, molten aluminum is poured into a caster, which produces a solid slab. The slab is then heated and passed through a series of rolling mills to reduce its thickness and achieve the desired coil gauge.



Technical Parameters:

Parameter	Value
Brand Name	Chinalco
Color	Nature Color
Processing Service	Decoiling, Punching, Cutting
Application	Industry, Construction, Decoration, Etc.
Surface Treatment	Coated, Embossed, Anodized, Etc.
Width	1000-2200mm or customized
Material	Aluminium
Tensile Strength	≥275Mpa
Trade Terms	FOB CIF CFR EXW
Hardness	≤90HB

Applications:

Aluminum Coil is a versatile product with a wide range of applications in different industries.

Aluminum Coil is widely used in industry, construction and decoration. It is heat resistant and corrosion resistant. With its excellent mechanical properties, it is ideal for creating various shapes and structures. The 5052 Aluminum Coil is a popular choice for its superior strength and low cost. It provides superior welding and forming properties and is lighter than other aluminum alloys. It is suitable for a wide range of applications, from automotive components to aircraft and shipbuilding.



Support and Services:

We offer a complete range of technical support and service for our Aluminium Coil products.

Our experienced team of experts are on hand to answer any questions you may have and provide assistance with installation, setup and maintenance.

We also offer a comprehensive after-sales service including repairs and replacements if needed.

For more information about our technical support and service for Aluminium Coil products, please contact us.

Packing and Shipping:

Aluminium coil is typically packaged in cardboard boxes with a protective layer of plastic covering the material. The boxes are then _ placed on a pallet and secured with straps or shrink wrap. The pallet is then shrink-wrapped and placed on a truck for transport to its destination.



FAQ:

1.Q:How can you guarantee the quality?

A:We have complete test systems from raw materials to finished products, each step must be checked and signed by our professional

2.Q:How can I get your quotation?

A:Please mention the alloy&temper, application, thickness, tensile strength, elongation etc, we will quote as soon as we can.

3.Q:How about the delivery time?

A:It is about 7-35 days normally according to different order requirements.

4.Q:Can we visit your factory?

A:Yes sure, we sincerely welcome you to visit us at any time!

5.Q:May I know you payment terms?

A:We prefer the payment by T/T and L/C,payment term: 30% deposit in advance, 70% should be paid before shipment. If you want other terms, please feel free to let us know in your inquiry.

6.Q:Can you offer sample for testing?

A:Yes we can offer sample in A4 format or in small rolls for your test, welcome to send your inquiry.





+8618151700330



sales02@jslzsteel.com



@ aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China