

7075 H112 Aluminium Extrusion Profile H Beam 200*200 6m Length For Construction

Basic Information

Place of Origin: Jiangsu,China
Brand Name: LIANZHONG
Certification: ISO9001


Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series

Minimum Order Quantity: 1 TonPrice: Negotiable

Packaging Details: Exporting package/wooden box package etc

Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union
Supply Ability: 20000 Ton/Tons per Month



Product Specification

Product Name: Aluminum H Beam

• Material: 1050 1060 2024 3003 5083 6061 6063 7075

• Payment Terms: T/T(30%deposit)or 100%L/C At Sight

• Thickness: 0.6m-8mm Or As Required


Package: Export Seaworthy Packing, or As Required

• Length: Custom Length

• Highlight: H112 Aluminium Profile H Beam,

Aluminium Extrusion Profile H Beam,

6m Aluminium Profile H Beam



Product Description

7075 H112 Aluminium H Beam Aluminium Extrusion Profile 200*200 6m Length For Construction

Product Description

Aluminum H Beam typically refers to an aluminum alloy that belongs to the 7000 series, specifically 7075 aluminum. Aluminum alloy 7075 is known for its high strength-to-weight ratio and excellent mechanical properties. It is commonly used in aerospace, automotive, and other applications where lightweight materials with strong structural integrity are required.

Item	Aluminum H Beam				
Material	1050 1060 2024 3003 5083 6061 6063 7075				
Size / Thickness	Size from 10mm to 100mm ,General profiles thickness from 1 to 10mm				
Length	1000mm-11000mm or as required				
Surface	Mill finish, anodizied, powder coating, wood grain, sand blasting, and so				
treatment	on				
Color	Silver , black				
MOQ	1 Ton				
FOB Port	Shanghai				
Trade Terms	FOB CIF CFR EXW				
Packing	Export seaworthy packing or as required				

Grade	Hardne ss	Tensile Strength	Yield Strength	Elongation(%)	
		(MPa)	(MPa)	0.25-1.25mm	1.26-3.0mm
1100	0	89.6	34.5	30	6
	H12	110.3	103.4	4	12
	H14	124.1	117.2	3	10
2024	0	186.2	75.8	18	20
	T3	482.6	344.7	16	18
	T4	468.8	324.1	20	19
3003	0	110.3	41.4	30	33
	H12	131	124.1	9	11
	H14	151.7	144.8	3	7
5052	0	193.1	89.6	20	21
	H32	227.5	193.1	7	10
	H34	262	213.7	6	8
5083	0	275.8	144.8	21	25
	H32	282.7	151.7	20	21
	H34	330.9	255.1	11	14
6060	0	124.1	55.2	25	26
	T4	241.3	144.8	22	24
	T6	310.3	275.8	12	17
7075	0	227.5	103.4	16	18
	T6	572.3	503.3	11	12

Product Details



Packing and Shippment



Certification



QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

Jiangsu Lianzhong Metal Products (Group) Co., Ltd

Unified social credit code:91320213MABPEEF263 Registered Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu Audited Address: 287 Guangyi Road, Liangxi District, Wuxi, Jiangsu

> Has been assessed as conforming to meet the requirements of GB/T19001-2016 / ISO9001:2015

> > for the scope of activities

Metal coils, metal pipes, metal bars, metal sheets involved in the sale of related management activities

Certificate No:609-22-QR-08513-R0-S

Issue Date:2022-12-28

Term of validity:2025-12-27





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C256-M









valid. The status of the certificate can be scanned and can also be confi company website:hdcciso.com and the official website of the National Certification and Supervision Commission at:www.cnca.gov.cn.

FAQ

1.Q:How could I get a sample?

A:Before we received the first order, please afford the sample cost and express fee. We will return the sample cost back to you within your first order.

2.Q:Sample time?

A:Existing items: Within 5-7 days, depends on the specific quantity.

3.Q:Whether you could make your products by our color?

A:Yes, The color of products can be customized if you can meet our MOQ.

- 4.Q:How to guarantee the quality of your products?
- A:1) Strict detection during production.
 - 2) Strict sampling inspection on products before shipment and intact product packaging ensured.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



@ aluminium-sheetcoil.com