

1000 Series 1050 1060 Aluminum Coil Alloy Roll 0.8mm 1mm H12 H18 Sheet

Basic Information

Place of Origin: Jiangsu China

aluminium-sheetcoil.com

Brand Name: Chinalco

Certification: ASTM GB EN

• Model Number: 1050 1060 2024 5052 6061 6063 6082 7075

8011

Minimum Order

Quantity:

1 TON

• Price: Negotiable

Packaging Details: Standard Seaworthy Packing

• Delivery Time: 7-10 days, or depends on the specific

quantity

• Payment Terms: T/T,L/C

• Supply Ability: 20000tons/year



Product Specification

Product Name: Aluminum Coil

• Thickness: 0.6-20mm Or As Reequired

Color: Nature ColorTemper: O - H112

Packing: Standard Export Packing
Trade Terms: FOB CIF CFR EXW

• Application: Industry, Construction, Decoration, Etc.

• Highlight: H12 Aluminum Coil Roll 0.8mm,

1060 Aluminum Coil Alloy Roll, 1050 Aluminum Alloy Coil Roll



Product Description:

Aluminium Coil, crafted from 1060 aluminum, is an ideal material for industry, construction, decoration, and other applications. It is _____ manufactured by Chinalco and can be processed through decoiling, punching, and cutting. The natural color of this aluminum coil makes it a perfect fit for any project. Moreover, its tensile strength is ≥275Mpa, making it incredibly durable and reliable.

Technical Parameters:

item	value
Brand Name	Chinalco
Application	Building and construction
Width	600-2000mm or as required
Alloy Or Not	Is Alloy
Grade	1000 Series
Surface Treatment	Embossed
Temper	O - H112
Tolerance	±1%
Processing Service	Decoiling, Welding, Punching
Delivery Time	10-20 days,depends on the specific order
Application	Decoration
Product Name	Aluminum Sheet Coil
Color	Silvery
MOQ	1 Ton
Material	Aluminum Material
Thickness	0.6-20mm or as required
Package	Standard Seaworthy Wooden Pallet Packing
SAMPLE	Avaliable

Photo Detail:



Applications:

Light industry, aviation, shipbuilding, metallurgy, instrumentation, electrical appliances, stainless steel products, steel structure building and decoration industries.



Support and Services:

Technical Support and Service for Aluminium Coil

We offer a wide range of technical support and services for Aluminium Coil, including: Expert advice on product selection and application

Technical guidance and support for installation, use and maintenance of the product

Testing and inspection services to ensure product quality

On-site support to ensure a successful installation

Packing and Shipping:

Aluminium Coil Packaging and Shipping:

Packaging: The aluminium coils are packaged in shrink-wrapped bundles, with protective caps on each end. The bundles are then placed on wooden pallets for further protection.

Shipping: The aluminium coils are shipped by truck, rail, or sea, depending on the customer's preference. All shipments are insured and tracked to ensure safe arrival.



Certificate:



FAQ:

- Q: What is the Brand Name of the Aluminium Coil?
 - A: The Brand Name of the Aluminium Coil is Chinalco.
- Q: What are the Model Numbers of the Aluminium Coil?
 - A: The Model Numbers of the Aluminium Coil are 1050 1060 2024 5052 6061 6063 6082 7075 8011.
- Q: Where is the Place of Origin for the Aluminium Coil?
 - A: The Place of Origin for the Aluminium Coil is Jiangsu China.
- Q: What Certifications Does the Aluminium Coil Have?
 - A: The Aluminium Coil has Certifications of ASTM GB EN.
- Q: What is the Minimum Order Quantity for the Aluminium Coil?
 - A: The Minimum Order Quantity for the Aluminium Coil is 1 TON.

JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



@ aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China