ASTM 5083 H116 Aluminium Sheet Alloy Plate Marine Grade For Ship Building

Our Product Introduction

Basic Information

- Place of Origin: Jiangsu,China
- Brand Name: Chinalco
- Certification: ISO9001
- Model Number: 5083
- Minimum Order Quantity: 1ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers'requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 2000 Ton/Tons per Month



Product Specification

- Product Name: Aluminum Sheet
- Thickness: 0.6-100mm Or As Required
- Alloy Or Not: Alloy
- Standard: ASTM-B209, EN573-1, GB/T3880.1-2006
- Surface: Coated,embossed,mill Finish,polished,hairline,etc.
- Processing Service: Bending, Decoiling, Welding, Punching, Cutting
- Highlight: **5083 H116 Aluminium Sheet**, **Alloy Plate Aluminium 5083 Sheet**, **Alloy Aluminium Plate 100mm**



for more products please visit us on aluminium-sheetcoil.com

Our Product Introduction

for more products please visit us on aluminium-sheetcoil.com

Product Description

High Quality ASTM 5083 H116 Aluminium Sheet Alloy Plate Marine Grade For Ship Building

Product Description

Aluminium 5083 is known for exceptional performance in extreme environments. 5083 is highly resistant to attack by both seawater and industrial chemical environments. Alloy 5083 also retains exceptional strength after welding. It has the highest strength of the non-heat treatable alloys but is not recommended for use in temperatures in excess of 65°C.

Product	Aluminum Sheet
Property	Anti-Corrosion, Heat Resistant
Surface	Coated,embossed,mill finish,polished,hairline,etc.
Production Process	Cold Rolled, Hot Rolled
Temper	O,H14,H24,H32,H112 Etc;T4,T651 Etc
Thickness	0.2mm - 60mm or as required
Width	500mm - 2300mm or as required
Length	1000mm - 11000mm or as required
Payment Term	TT,100% LC at sight, West Union
Package	Export wooden pallets, Craft paper, Anti-Blushing Agent or according to your requirements.
Delivery Time	Future goods: 20-30 Work days, Ready Stock:7-10 days.
Quality of Material	Totally free from defects like white rust, adge damage, camber, dents, holes, break lines, scratches.
Kind Attention	Specification can be customized as the customer's requirements.

Product Details



Application

Factory

Recommend Products



Packing & Shipping

20ft GP:5898mm(Length)x2352mm(Width)x2393mm(High), about 24CBM,27MTS
40ft GP:12032mm(Length)x2352mm(Width)x2393mm(High) ,about 54CBM,27MTS
40ft HC:12032mm(Length)x2352mm(Width)x2698mm(High), about 54CBM,27MTS

Certification

FAQ

1. How can I get a quotation from you ?
You can leave us message, and we will reply every message in time. Or we may talk on line by Trademanager. And you can also find our contact information on contact page.

2.Can I get samples before order ?
Yes, of course. we can produce by your samples or technical drawings.

3. What is your delivery time ?
The time of delivery is usually around 7-10 days.We can send out in 2-5 days, if it has stock.

联重 LianZhong **JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**

+8618151700330 sales01@jslzsteel.com aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China