

ASTM 5A06 H112 5754 Aluminum Sheet 1050 1220mm Aluminum Alloy Plate **Hairline Surface**

Exporting package/wooden box package/Or

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Product Name:
- Aluminum Sheet • Temper: O-H112, O H32 H34 H36 H111 H321 Standard: ASTM-B209, EN573-1, GB/T3880.1-2006 1050/1060/1100/3003/3004//5052/5754/5A06 Material: • Surface: Coated,embossed,mill Finish,polished,hairline,etc. • Processing Service: Bending, Decoiling, Welding, Punching, Cutting • Highlight: H112 5754 Aluminum Sheet, 1050 Aluminum Alloy Plate, 5A06 Aluminum Alloy Plate 1220mm

Jiangsu, China

5A06 5754 1050

per customers'requirement

L/C, T/T, Western Union

2000 Ton/Tons per Month


Chinalco

ISO9001

Negotiable

3-15 days

1ton




ASTM 5A06 H112 5754 Aluminum Sheet 1050 1220mm Width Aluminum Alloy Plate Hairline Surface

Product Description

Aluminum sheets are highly versatile materials with a wide range of applications across industries, thanks to their lightweight, corrosion-resistant, and malleable properties. Their ability to balance strength and weight makes them a popular choice in various manufacturing and construction applications.

Production Name	Aluminum Sheet / Plate
Temper	O, H12, H14, H16, H18, H22, H24, H26, H32, H112
Technique	Cold Rolled ; Hot Rolled
Width	200-2300mm or as required
Length	1000-11000mm or to clients' requirement
Thickness	0.1mm - 300mm,or as customized
Alloy	1000 Series: 1050 1060 1070 1100 1200 1235 etc. 2000 Series: 2A12 2014 2024 etc. 3000 Series: 3003 3004 3005 3104 3105 3A21 etc. 4000 Series: 4045 4047 4343 etc. 5000 Series: 5005 5052 5083 5086 5154 5182 5251 5754 etc. 6000 Series: 6061 6063 6082 6A02 etc. 7000 Series: 7050 7475 7075 etc. 8000 Series: 8011 8079 etc.
Surface Treatment	Mill finished, Coated, Embossed, Brushed, Polished, Mirror, Anodized, etc
Standard	GB/T3190-2008,GB/T3880-2006,ASTM B209,JIS H4000-2006, AiSi, EN, BS,etc
OEM Service	Perforated, Cutting special size, Doing flatness, Surface treatment, etc.
Usage	Construction filed, Ships building industry, Decoration, Industry,Manufacture,Machinery and hardware fields, etc
Delivery	In general, within 8-15 working days after receiving deposit or according to final order quantity.
Packaging	Customized wooden pallet, suitable long distance sea transportation.
Kind Attention	Specification can be customized as the customer's requirements.

Product Detail




Application



Factory



Recommend Products



Packing & Shipping

20ft GP:5898mm(Length)x2352mm(Width)x2393mm(High), about 24CBM,27MTS 40ft GP:12032mm(Length)x2352mm(Width)x2393mm(High) ,about 54CBM,27MTS 40ft HC:12032mm(Length)x2352mm(Width)x2698mm(High), about 54CBM,27MTS





Certification



FAQ

1. How can I get a quotation from you ? You can leave us message, and we will reply every message in time. Or we may talk on line by Trademanager. And you can also find our contact information on contact page.

2.Can I get samples before order ? Yes, of course. we can produce by your samples or technical drawings.

3. What is your delivery time ? The time of delivery is usually around 7-10 days.We can send out in 2-5 days, if it has stock.

