

ASTM 6082 T6 Aluminum Coil Alloy Roll Embossed Surface 0.2mm 4mm For Building

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu China
- Brand Name: Chinalco
- Certification: ASTM GB EN
- Model Number: 1050 1060 2024 5052 6061 6063 6082 7075 8011
- Minimum Order Quantity: 1 TON
- Price: Negotiable
- Packaging Details: Standard Seaworthy Packing
- Delivery Time: 7-10 days, or depends on the specific quantity
- Payment Terms: T/T,L/C
- Supply Ability: 20000tons/year



Product Specification

- Product Name: Aluminum Coil
- Thickness: 0.6-20mm Or As Required
- Color: Nature Color
- Temper: O - H112
- Packing: Standard Export Packing
- Trade Terms: FOB CIF CFR EXW
- Application: Industry, Construction, Decoration, Etc.
- Highlight: **Embossed Aluminum Alloy Coil Roll, 6082 T6 Aluminum Alloy Coil Roll, 4mm Aluminum Roll Coil**



Product Description

Product Description:


Aluminium 6082 is a medium strength alloy with excellent corrosion resistance. It has the highest strength of 6000 series alloys. Alloy 6082 is known as a structural alloy. In plate form, 6082 is the alloy most commonly used for machining. As a relatively new alloy, the higher strength of 6082 has seen it replace 6061 in many applications. The addition of a large amount of manganese controls the grain structure which in turn results in a stronger alloy. It is difficult to produce thin walled, complicated extrusion shapes in alloy 6082. The extruded surface finish is not as smooth as other similar strength alloys in the 6000 series.

Aluminum Grade	Features and common models
1000 Series	Industrial Pure Aluminum(1050,1060 ,1070, 1100)
2000 Series	Aluminum-copper alloys(2024(2A12), LY12, LY11, 2A11, 2A14(LD10), 2017, 2A17)
3000 Series	Aluminum-manganese alloys(3A21, 3003, 3103, 3004, 3005, 3105)
4000 Series	Al-Si alloys(4A03, 4A11, 4A13, 4A17, 4004, 4032, 4043, 4043A, 4047, 4047A)
5000 Series	Al-Mg alloys(5052, 5083, 5754, 5005, 5086,5182)
6000 Series	Aluminum Magnesium Silicon Alloys(6063, 6061, 6060, 6351, 6070, 6181, 6082, 6A02)
7000 Series	Aluminum, Zinc, Magnesium and Copper Alloys(7075, 7A04, 7A09, 7A52, 7A05)
8000 series	Other Aluminum alloys,Mainly used for thermal insulation materials, aluminum foil, etc.(8011 8069)

Technical Parameters:

Product name	Aluminum Coil
Grade	6082 or customized
Thickness(mm)	0.2-8.0 or as required
Width(mm)	20-2500 or as required
Material Process	CC AND DC
Surface	Mill finish ,Color coated(PVDF& PE),Stucco Embossed ,Bright Polish,Anodizing
Quality Standard	ASTM B209,EN573-1
MOQ	1 TON
Payment Terms	TT OR 100% LC at sight
Delivery time	Within 10-15 days after receipt deposit
Application	Construction ,Building,Decoration ,Curtain Wall ,Roofing,Mould,Lighting,curtain wall, ship building,Aircraft,Oil Tank ,Truck Body etc
Packing	Standard export worthy wooden pallets and standard packing is about 2 tons/pallet,Pallet weight also can be as per client's requirement

Photo Detail:




Recommend Products:



Aluminum Sheet



Aluminum Roofing Sheet




Aluminum Coil



Aluminum Ingot



Aluminum Bar



Aluminum Square Bar



Aluminum Tube



Aluminum Flat Bar

Applications:

Light industry, aviation, shipbuilding, metallurgy, instrumentation, electrical appliances, stainless steel products, steel structure building and decoration industries.



Support and Services:

We offer a wide range of technical support and services for Aluminium Coil, including:

Expert advice on product selection and application

Technical guidance and support for installation, use and maintenance of the product

Testing and inspection services to ensure product quality

On-site support to ensure a successful installation

Troubleshooting and repair services in the event of product failure

Regular maintenance and service contracts to ensure long-term performance

Packing and Shipping:

Packaging: The aluminium coils are packaged in shrink-wrapped bundles, with protective caps on each end. The bundles are then placed on wooden pallets for further protection.

Shipping: The aluminium coils are shipped by truck, rail, or sea, depending on the customer's preference. All shipments are insured and tracked to ensure safe arrival.



SHIPMENT



PACKAGING



TRUCK LOADING



GOODS RECEIPT

Certificate:



FAQ:

Q: What is the Brand Name of the Aluminium Coil?

A: The Brand Name of the Aluminium Coil is Chinalco.

Q: What are the Model Numbers of the Aluminium Coil?

A: The Model Numbers of the Aluminium Coil are 1050 1060 2024 5052 6061 6063 6082 7075 8011.

Q: Where is the Place of Origin for the Aluminium Coil?

A: The Place of Origin for the Aluminium Coil is Jiangsu China.

Q: What Certifications Does the Aluminium Coil Have?

A: The Aluminium Coil has Certifications of ASTM GB EN.

Q: What is the Minimum Order Quantity for the Aluminium Coil?

A: The Minimum Order Quantity for the Aluminium Coil is 1 TON.



联重
LianZhong

JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China