

AISI 2011 Aluminum Coil 14 Gauge 16 Gauge Thick RAL 9010 White Coated Prepainted Alloy Roll

Our Product Introduction

For more products please visit us on aluminium-sheetcoil.com


Basic Information

- Place of Origin: Jiangsu China
- Brand Name: Chinalco
- Certification: ASTM GB EN
- Model Number: 1050 1060 2024 5052 6061 6063 6082 7075 8011
- Minimum Order Quantity: 1 TON
- Price: Negotiable
- Packaging Details: Standard Seaworthy Packing
- Delivery Time: 7-10 days, or depends on the specific quantity
- Payment Terms: T/T,L/C
- Supply Ability: 20000tons/year



Product Specification

- Product Name: Aluminum Coil
- Thickness: 0.6-20mm Or As Required
- Color: Nature Color, as Customers' Requirement
- Temper: O - H112
- Surface: Color, Brushed, Mirror, Embossed, Sandblasted
- Width: 200-2300mm Or As Required
- Application: Industry, Construction, Decoration, Etc.
- Highlight: **AISI 2011 Aluminum Coil,
Prepainted Aluminum Alloy Roll Coil,
RAL 9010 Aluminum Roll Coil**



Product Description

Product Description:




Aluminum Coils An aluminum coil is a long strip of aluminum that has been rolled into a dense coil. Aluminum coil can be more efficiently and inexpensively produced than many other metal coil varieties. It is also corrosion resistant, recyclable and is a good conductor of electricity and heat.

Aluminum Grade	Features and common models
1000 Series	Industrial Pure Aluminum(1050,1060 ,1070, 1100)
2000 Series	Aluminum-copper alloys(2024(2A12), LY12, LY11, 2A11, 2A14(LD10), 2017, 2A17)
3000 Series	Aluminum-manganese alloys(3A21, 3003, 3103, 3004, 3005, 3105)
4000 Series	Al-Si alloys(4A03, 4A11, 4A13, 4A17, 4004, 4032, 4043, 4043A, 4047, 4047A)
5000 Series	Al-Mg alloys(5052, 5083, 5754, 5005, 5086,5182)
6000 Series	Aluminum Magnesium Silicon Alloys(6063, 6061, 6060, 6351, 6070, 6181, 6082, 6A02)
7000 Series	Aluminum, Zinc, Magnesium and Copper Alloys(7075, 7A04, 7A09, 7A52, 7A05)
8000 series	Other Aluminum alloys,Mainly used for thermal insulation materials, aluminum foil, etc.(8011 8069)

Technical Parameters:

Product	Aluminum coil
Alloy	1050.1060.1100.1070.3003.3004.3105.5052.5754.5083.6061.6063.6062.7075.8011
Temper	H12, H14, H16, H24, H26, H32, O, H112, T3, T6, T4, T651, ect.
Surface	Mill finish, color coated, embossed, engraving, checkered
Thickness	0.6-20mm or as required
Width	200-2300mm or as required
Length	1000-11000mm or as required
Packing	Wooden pallet or according to your requirements
Payment	T/T,L/C 100% at sight
MOQ	normally 1 ton, special require need discuss
Delivery time	1-3days for spot goods, 10-15days for normal size, 15-25days for special size

Photo Detail:




Recommend Products:



Aluminum Sheet



Aluminum Roofing Sheet



Aluminum Coil



Aluminum Ingot



Aluminum Bar



Aluminum Square Bar



Aluminum Tube



Aluminum Flat Bar

Applications:

Light industry, aviation, shipbuilding, metallurgy, instrumentation, electrical appliances, stainless steel products, steel structure building and decoration industries.



Support and Services:

We offer a wide range of technical support and services for Aluminium Coil, including:

Expert advice on product selection and application

Technical guidance and support for installation, use and maintenance of the product

Testing and inspection services to ensure product quality

On-site support to ensure a successful installation

Troubleshooting and repair services in the event of product failure

Regular maintenance and service contracts to ensure long-term performance

Packing and Shipping:

Packaging: The aluminium coils are packaged in shrink-wrapped bundles, with protective caps on each end. The bundles are then placed on wooden pallets for further protection.

Shipping: The aluminium coils are shipped by truck, rail, or sea, depending on the customer's preference. All shipments are insured and tracked to ensure safe arrival.



SHIPMENT



PACKAGING



TRUCK LOADING



GOODS RECEIPT

Certificate:



FAQ:

Q: What is the Brand Name of the Aluminium Coil?

A: The Brand Name of the Aluminium Coil is Chinalco.

Q: What are the Model Numbers of the Aluminium Coil?

A: The Model Numbers of the Aluminium Coil are 1050 1060 2024 5052 6061 6063 6082 7075 8011.

Q: Where is the Place of Origin for the Aluminium Coil?

A: The Place of Origin for the Aluminium Coil is Jiangsu China.

Q: What Certifications Does the Aluminium Coil Have?

A: The Aluminium Coil has Certifications of ASTM GB EN.

Q: What is the Minimum Order Quantity for the Aluminium Coil?

A: The Minimum Order Quantity for the Aluminium Coil is 1 TON.



联重
LianZhong

JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China