

## ASTM B209 Aluminium Alloy Coil 1060 H24 0.9mm 2300mm Sheet Cold Rolled

Our Product Introduction

For more products please visit us on [aluminium-sheetcoil.com](http://aluminium-sheetcoil.com)

### Basic Information

- Place of Origin: Jiangsu China
- Brand Name: Chinalco
- Certification: ASTM GB EN
- Model Number: 1050 1060 2024 5052 6061 6063 6082 7075 8011
- Minimum Order Quantity: 1 TON
- Price: Negotiable
- Packaging Details: Standard Seaworthy Packing
- Delivery Time: 7-10 days, or depends on the specific quantity
- Payment Terms: T/T,L/C
- Supply Ability: 20000tons/year



### Product Specification

- Product Name: Aluminum Coil
- Place Of Origin: Jiangsu China
- Thickness: 0.6-20mm Or As Required
- Surface: Silver Or Customized
- Application: Construction,industry
- Test: The Third Inspection Is Available
- Highlight: **H24 Aluminium Alloy Coil 0.9mm,  
ASTM B209 Aluminium Alloy Coil,  
Cold Rolled Aluminium Alloy Sheet Coil**



### Product Description:

Aluminum Coil / Strip is light, strong, and easy to work with. Its variety of thickness makes it ideal for many industrial and home applications, such as signs, airplane parts, and cooking pots. It can be welded with different welding techniques and is easy to be cut, drilled, or sheared.

### Detailed Photo:




### Technical Parameters:

Name	Aluminium coil(sheet)
Standard	JIS G3141,DIN1623,EN10130
Material	1050,1060,3003, 3A21,5052.5005.5083.5A05,6061
Thickness	0.15 mm- 20mm or as required
Width	600-2300mm or as required
Trade Terms	FOB CIF CFR EXW
Packing	Export standard packing or according to customers' requirement
Certificate	ISO9001:2008,SGS
Shipment	Within10-15 workdays,25-30days when the quantity beyond 1000tons

### Chemical Composition:

Grade	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Al
1050	0.25	0.4	0.05	0.05	0.05	-	-	0.05	99.5
1060	0.25	0.35	0.05	0.03	0.03	-	-	0.05	99.6
1070	0.2	0.25	0.04	0.03	0.03	-	-	0.04	99.7
1100	Si+Fe:0.95		0.05-0.2	0.05	-	-	0.1	-	99
1200	Si+Fe:1.00		0.05	0.05	-	-	0.1	0.05	99
1235	Si+Fe:0.65		0.05	0.05	0.05	-	0.1	0.06	99.35
3003	0.6	0.7	0.05-0.2	1.0-1.5	-	-	-	0.1	remains
3004	0.3	0.7	0.25	1.0-1.5	0.8-1.3	-	-	0.25	remains
3005	0.6	0.7	0.25	1.0-1.5	0.20-0.6	0.1	-	0.25	remains
3105	0.6	0.7	0.3	0.30-0.8	0.20-0.8	0.2	-	0.4	remains
3A21	0.6	[0.7	0.2	1.0-1.6	0.05	-	-	0.1	remains
5005	0.3	[0.7	0.2	0.2	0.50-1.1	0.1	-	0.25	remains
5052	0.25	0.4	0.1	0.1	2.2-2.8	0.15-0.35	-	0.1	remains
5083	0.4	0.4	0.1	0.40-1.0	4.0-4.9	0.05-0.25	-	0.25	remains
5154	0.25	0.4	0.1	0.1	3.1-3.9	0.15-0.35	-	0.2	remains
5182	0.2	0.35	0.15	0.20-0.50	4.0-5.0	0.1	-	0.25	remains
5251	0.4	0.5	0.15	0.1-0.5	1.7-2.4	0.15	-	0.15	remains
5754	0.4	0.4	0.1	0.5	2.6-3.6	0.3	-	0.2	remains

### Recommend Products:



Aluminum Sheet



Aluminum Roofing Sheet




Aluminum Coil



Aluminum Ingot



Aluminum Bar



Aluminum Square Bar



Aluminum Tube



Aluminum Flat Bar

### Technological Process:






Mechanical cutting



Extrusion



Slitting



Subsection



Surface treatment



Checkered

## Applications:

Light industry, aviation, shipbuilding, metallurgy, instrumentation, electrical appliances, stainless steel products, steel structure building and decoration industries.



## Support and Services:

Expert advice on product selection and application

Technical guidance and support for installation, use and maintenance of the product

- Testing and inspection services to ensure product quality
- On-site support to ensure a successful installation
- Troubleshooting and repair services in the event of product failure
- Regular maintenance and service contracts to ensure long-term performance

**Packing and Shipping:**

**Packaging:** The aluminium coils are packaged in shrink-wrapped bundles, with protective caps on each end. The bundles are then placed on wooden pallets for further protection.

**Shipping:** The aluminium coils are shipped by truck, rail, or sea, depending on the customer's preference. All shipments are insured and tracked to ensure safe arrival.



**Certificate:**



## FAQ:

1.Can you supply what is the service?

We can supply the kinds of metal materials and products,and we also can supply other process services.

2.Can you supply the free sample?

We can supply the free sample,but the sample express freight should be by you.

3.What about your the fast lead time if we place order?

It is normal 7-10 days after receive your deposit,depends on the specific quantity.

4.Which payment terms can you accept?

We can accept the TT,Western Union now or 100%L/C at sight.



**JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China