

Al-Mg Alloy 5005 Aluminium Coil Anodizing Embossing 1mm ASTM 1250mm Width

Our Product Introduction

For more products please visit us on aluminium-sheetcoil.com

Basic Information

- Place of Origin: Jiangsu China
- Brand Name: Chinalco
- Certification: ASTM GB EN
- Model Number: 1050 1060 2024 5052 6061 6063 6082 7075 8011
- Minimum Order Quantity: 1 TON
- Price: Negotiable
- Packaging Details: Standard Seaworthy Packing
- Delivery Time: 7-10 days, or depends on the specific quantity
- Payment Terms: T/T,L/C
- Supply Ability: 20000tons/year



Product Specification

- Product Name: Aluminum Coil
- Material: 1050 1060 3003 2024 5052 6061 6062 5083 7075 8011
- Width: 600-2300mm Or As Required
- Coil Weight: 1-10 Tons Or As Required
- Payment Terms: T/T(30% Deposit),100% L/C At Sight
- Trade Terms: FOB CIF CFR EXW
- Inspection: Is Available
- Usage: Architectural Appearance, Ceiling, Furniture
- Highlight: **Anodizing Embossing Aluminium Coil, Al-Mg Alloy 5005 Aluminium Coil, 1250mm Width Aluminium Alloy Coil**




Product Description

Product Description:

Aluminum plate is the thickness of 0.2mm to 500mm below, width of 200mm or more, length of less than 16m aluminum material is called aluminum plate or aluminum sheet, 0.2mm or less for aluminum, 200mm width within the row or strip (of course, with the advancement of large equipment, the widest can be 600mm aluminum plate is more). Aluminum plate refers to the rectangular plate processed by rolling aluminum ingots, which is divided into pure aluminum plate, alloy aluminum plate, thin aluminum plate, medium and thick aluminum plate, and patterned aluminum plate.

Detailed Photos:



Technical Parameters:


1.	Item	Aluminium coil	
2.	Standard	ATSTM B209, JIS H4000-2006,GB/T3190-2008,GB/T3880-2006, etc.	
3.	Material	1000 Series:	1050,1060,1080,1100,1435,etc.
		2000 Series:	2011,2014,2017,2024,2A12,2A16,2A06,etc.
		3000 Series:	3002,3003,3004,3104,3204,3030,3A21,etc.
		5000 Series:	5005,5025,5040,5052,5056,5083,5A05,etc.
		6000 Series:	6003,6060,6082,6083,6063,6061,etc.
		7000 Series:	7003,7005,7050,7075,etc.
4.	Specifications	Thickness	0.1mm~200mm
		Width	600mm~2300mm

		Length	2m,3m,5.8m,6m,or as required
6.	Surface	Bright, polished, hair line, brush, sand blast, checkered, embossed, etching, etc.	
7.	Price Term	Ex-work, FOB, CIF , CFR, etc.	
8.	Payment Term	T/T, L/C,Western Union, etc.	
9.	Delivery Time	According to order's quantity.	
10.	Package	Export standard package: bundled wooden box, suit for all kinds of transport,or be required.	
11.	MOQ	1000kg	
12.	Export to	Singapore,Indonesia,Ukraine,Korea,Thailand,Vietnam,Saudi Arabia,Brazil,Spain,Canada,USA,Egypt, , India, Kuwait, Dubai, Oman, Kuwait, Peru, Mexico, Iraq,,Malaysia, etc.	
13.	Application	1) Kitchenware, food and chemical products processing and storage devices; 2) Aircraft fuel tanks, oil pipe, rivets, wire; 3) Cans cover, car body panels, steering plates, stiffeners, brackets and other components; 4) Manufacturing trucks, tower building, ship, train, furniture, machinery parts, precision machining with the tubes, rods, shaped, sheet metal.	

Chemical Composition:

Grade	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Al
1050	0.25	0.4	0.05	0.05	0.05	-	-	0.05	99.5
1060	0.25	0.35	0.05	0.03	0.03	-	-	0.05	99.6
1070	0.2	0.25	0.04	0.03	0.03	-	-	0.04	99.7
1100	Si+Fe:0.95		0.05-0.2	0.05	-	-	0.1	-	99
1200	Si+Fe:1.00		0.05	0.05	-	-	0.1	0.05	99
1235	Si+Fe:0.65		0.05	0.05	0.05	-	0.1	0.06	99.35
3003	0.6	0.7	0.05-0.2	1.0-1.5	-	-	-	0.1	remains
3004	0.3	0.7	0.25	1.0-1.5	0.8-1.3	-	-	0.25	remains
3005	0.6	0.7	0.25	1.0-1.5	0.20-0.6	0.1	-	0.25	remains
3105	0.6	0.7	0.3	0.30-0.8	0.20-0.8	0.2	-	0.4	remains
3A21	0.6	[0.7	0.2	1.0-1.6	0.05	-	-	0.1	remains
5005	0.3	[0.7	0.2	0.2	0.50-1.1	0.1	-	0.25	remains
5052	0.25	0.4	0.1	0.1	2.2-2.8	0.15-0.35	-	0.1	remains
5083	0.4	0.4	0.1	0.40-1.0	4.0-4.9	0.05-0.25	-	0.25	remains
5154	0.25	0.4	0.1	0.1	3.1-3.9	0.15-0.35	-	0.2	remains
5182	0.2	0.35	0.15	0.20-0.50	4.0-5.0	0.1	-	0.25	remains
5251	0.4	0.5	0.15	0.1-0.5	1.7-2.4	0.15	-	0.15	remains
5754	0.4	0.4	0.1	0.5	2.6-3.6	0.3	-	0.2	remains

Recommend Products:



Technological Process:



Mechanical cutting



Extrusion




Slitting



Subsection



Surface treatment



Checkered

Applications:

Light industry, aviation, shipbuilding, metallurgy, instrumentation, electrical appliances, stainless steel products, steel structure building and decoration industries.



Support and Services:

Expert advice on product selection and application
Technical guidance and support for installation, use and maintenance of the product
Testing and inspection services to ensure product quality
On-site support to ensure a successful installation
Troubleshooting and repair services in the event of product failure
Regular maintenance and service contracts to ensure long-term performance

Packing and Shipping:

Packaging: The aluminium coils are packaged in shrink-wrapped bundles, with protective caps on each end. The bundles are then placed on wooden pallets for further protection.

Shipping: The aluminium coils are shipped by truck, rail, or sea, depending on the customer's preference. All shipments are insured and tracked to ensure safe arrival.



SHIPMENT



PACKAGING



TRUCK LOADING



GOODS RECEIPT

Certificate:



FAQ:

1.Can you supply what is the service?

We can supply the kinds of metal materials and products,and we also can supply other process services.

2.Can you supply the free sample?

We can supply the free sample,but the sample express freight should be by you.

3.What about your the fast lead time if we place order?

It is normal 7-10 days after receive your deposit,depends on the specific quantity.

4.Which payment terms can you accept?

We can accept the TT,Western Union now or 100%L/C at sight.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China