

6061 7075 T6 T651 Aluminium Rod Billet 30mm 60mm With Custom

Basic Information

Place of Origin: Jiangsu China

aluminium-sheetcoil.com

• Brand Name: Chinalco

Certification:
 ASTM GB EN

• Model Number: 1050 1060 2024 5052 6061 6063 6082 7075

8011

Minimum Order

Quantity:

1 TON

• Price: Negotiable

Packaging Details: Standard Seaworthy Packing

• Delivery Time: 7-10 days, or depends on the specific

quantity

• Payment Terms: T/T,L/C

• Supply Ability: 20000tons/year



Product Specification

Product Name: Aluminium Rod

• Material: 1050 1060 2024 3003 5052 5083 6061 6063

7075 8011

• Diameter: 10-200mm Or As Required

• Technique: Coated, Embossed, Brushed, Polished,

Anodized, Etc

Hardness: Hb 90-110

Color: Silver White, Black, Can Be Customized

According To User's Requirements

Packing: Standard Seaworthy Packing

• Trade Terms: FOB CIF CFR EXW

• Highlight: 7075 T6 Aluminium Rod Billet,

Aluminium Rod Billet With Custom,

Aluminium Billet 60mm



Product Description:

Aluminum bar is produced through an extrusion process and is elongated using dies. Aluminum bar can be produced into a variety of different shapes and can be used for many different industrial applications. Aluminum bar has many different uses and industrial applications due to its light weight, corrosion resistance, and excellent machinability.

Features:

Item	Aluminum bar					
Standard	GB/T3190-2008 JIS H4040:2006 JIS H4001:2006 ASTM B221M:2006 ASTM B209M:2006 IOS 209:2007(E) EN 573-3:2003 etc					
	1000series :1050,1060,1070,1080,1100,1435,ect					
	2000series :2011,2014,2017,2024,ect					
	3000series :3002,3003,3104,3204,3030,ect					
Material	5000series:5005,5025,5040,5056,5083,etc					
	6000series :6101,6003,6061,6063,6020,6262,6082,ect					
	7000series:7003,7005,7050,7075,ect					
	Diameter:10~200mm or as required					
Size	Width:0.1-20mm or as required					
	Size can be customized according to customer needs					
Surface	Anodized,Mill finished,Polished,Power,etc					
Application	Industrial,etc					
Package	Standard export package ,or as required					
Price Terms EXW,FOB,CIF,CFR,ect						
Payment	T/T,L/C,Westerm Union,etc					

Product Detail:



Chemical Composition:

Grade	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Al
1050	0.25	0.4	0.05	0.05	0.05	-	-	0.05	99.5
1060	0.25	0.35	0.05	0.03	0.03	-	-	0.05	99.6
1070	0.2	0.25	0.04	o.Q3	0.03	-	-	0.04	99.7
1100	Si+Fe:0.95		0.05-0.2	0.05	-	-	0.1	-	99
1200	Si+Fe:1.00		0.05	0.05	-	-	0.1	0.05	99
1235	Si+Fe:0.65		0.05	0.05	0.05	-	0.1	0.06	99.35
3003	0.6	0.7	0.05-0.2	1.0-1.5	-	-	-	0.1	remains
3004	0.3	0.7	0.25	1.0-1.5	0.8-1.3	-	-	0.25	remains
3005	0.6	0.7	0.25	1.0-1.5	0.20-0.6	0.1	-	0.25	remains
3105	0.6	0.7	0.3	0.30-0.8	0.20-0.8	0.2	-	0.4	remains
3A21	0.6	[0.7	0.2	I.0-1.6	0.05	-	-	0.1	remains
5005	0.3	[0.7	0.2	0.2	0.50-1.1	0.1	-	0.25	remains
5052	0.25	0.4	0.1	0.1	2.2-2.8	0.15-0.35	-	0.1	remains
5083	0.4	0.4	0.1	0.40-1.0	4.0-4.9	0.05-0.25	-	0.25	remains
5154	0.25	0.4	0.1	0.1	3.1 -3.9	0.15-0.35	15%	0.2	remains
5182	0.2	0.35	0.15	0.20-0.50	4.0-5.0	o.i	-	0.25	remains
5251	0.4	0.5	0.15	o.1-Q.5	1.7-2.4	0.15	-	0.15	remains
5754	0.4	0.4	0.1	0.5	2.6-3.6	0.3	-	0.2	remains


Research Center:







Recommended Products:



Applications:

Aluminium Rod is a kind of metal product with a circular cross-section. It is produced by Chinalco with model numbers of 1050 1060 2024 5052 6061 6063 6082 7075 8011. It has been certified by ASTM GB EN. This high-quality aluminium rod can be used for building construction, decoration, chemical industry container, etc.



Support and Services:

We provide technical support and service for our Aluminium Rod. Our team of experts are ready to provide you with the answers you need. From installation guidance to troubleshooting tips, we're here to help you get the most out of your product.

We also offer a wide range of after-sales services, such as repairs and maintenance, to make sure your Aluminium Rod is always running smoothly. If you ever have any questions or concerns about your product, our friendly customer service team is always here to help.

Packing and Shipping:

Aluminum rods are typically packaged and shipped in bundles. Each bundle should be wrapped in a protective material such as bubble wrap or plastic film to protect it from damage during shipping. The bundles should also be clearly labeled with the product name, size, and quantity. Additionally, all bundles should be securely strapped and sealed for safe transport.

Aluminum rods are typically shipped via truck or freight carrier. The carrier should be chosen based on the size and weight of the shipment. If possible, it is best to select a carrier that offers tracking and insurance to ensure that the shipment arrives safely and on time.





FAQ:

1. How can I get a quotation from you?

You can leave us message, and we will reply every message in time.

2. Will you delivery the goods on time?

Yes,we promise to provide best quality products and delivery on time. Honesty is our company's tenet.

3. Can I get samples before order ?

Yes, of course. Usually our samples are free, we can produce by your samples or technical drawings.

4. What is your payment terms?

Our usual payment term is 30% deposite, and rest against B/L. 100% L/C at sight is also acceptable.

JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD

+8618151700330

sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China