

0.5mm 0.7mm 1050 1060 Aluminium Strip H14 H24 Polished For Thermal Insulation

Basic Information

- Place of Origin:
- Brand Name:
- ISO9001 Certification:
- Model Number:
- 1000series, 2000series, 3000series, 4000series, 5000series, 6000series, 7000series, 8000series, 9000series • Minimum Order Quantity: 1ton • Price: Negotiable • Packaging Details: Exporting package/wooden box package/Or per customers'requirement

3-15 days

Jiangsu, China

LIANZHONG

- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

Product Name:

• Trade Terms:

Material:

• Width:

1050 1060

Aluminum Strip

10-380mm Or As Required

L/C, T/T, Western Union

20000 Ton/Tons per Month

- FOB CIF CFR EXW
 - Standard Seaworthy Packing
 - Hot Rolled Cold Rolled
 - Aluminium coil Strip For Thermal Insulation, 1060 Aluminium Strip H14, **Polished Aluminium Strip**



• Packing: • Technique: • Highlight:

0.5mm 0.7mm 1050 1060 Aluminium Strip H14 H24 Polished For Thermal Insulation Engineering


Product Description


The raw material of aluminum strip is pure aluminum or aluminum alloy cast and rolled aluminum coil and hot rolled aluminum coil, which are rolled into cold rolled aluminum sheets with different thicknesses and widths. The machine slits longitudinally into aluminum strips of different widths.

Product Name	Aluminum Strip
Grade	1050,1060,2A14,3003,3103,4032,5454,5754,5056,5082,5086,6061,6060, 6082,7075,7475
Thickness	0.2mm-300mm or as required
Width	10mm-380mm or as required
Length	2000mm,2440mm,6000mm,or as required.
Standard	AISI,ASTM,DIN,JIS,GB,JIS,SUS,EN,etc.
Technique	Hot rolled/Cold rolled
Thickness tolerance	±0.01mm
Application	Ships,refrigerators,molds,aerospace equipment
Delivery Time	10-15 days, depends on the specific order
MOQ	500KG
Export Packing	Waterproof paper,and steel strip packed.Standard Export Seaworthy Package. Suit for all kinds of transport,or as required

Product Detail








Recommend Products













Product Line



Packing & Shipping





Certification

