

Astm 5083 2mm Aluminum Sheet Marine Grade Anodized H Mill Finish For Industrial

Basic Information

Place of Origin: Jiangsu China

Brand Name: Chinalco

Certification: ASTM GB EN

• Model Number: 1050 1060 2024 5052 6061 6063 6082 7075

8011

Minimum Order

Quantity:

1 TON

• Price: Negotiable

Packaging Details: Standard Seaworthy Packing

• Delivery Time: 7-10 days, or depends on the specific

quantity

• Payment Terms: T/T,100%L/C At Sight

• Supply Ability: 20000tons/year



Product Specification

Product Name: Aluminium Sheet Plate

Surface Finish: Polished, Anodizing, Brushed Or Customized

• Width: 600-2300mm Or As Required

• Color: Silver

Shape: Flat Plate SheetTrade Terms: FOB CIF CFR EXW

• Highlight: astm 2mm aluminum sheet,

5083 2mm aluminum sheet, marine grade aluminium plate 2mm



Product Description:

Aluminium Plate Sheet has many advantages, such as being corrosion-resistant and wear-resistant, light weight with good strength, excellent machinability, easy to process and shape, and so on. It has a wide range of application in many industries, such as construction, decoration, chemical industry, etc. In addition, the alloy sheet is also popular for its good reflectivity, high heat and electrical conductivity, and good weldability.

With its excellent properties and performance, Aluminium Plate Sheet is an ideal choice for many projects. It is available in various shapes, such as flat plate sheet, alloy sheet, polished aluminium sheet and anodizing aluminium sheet. No matter what your project is, you can always find the right aluminium sheet for it.

Features:

| Aluminum Plate / Aluminum Sheet | | | | | |
|--|--|--|--|--|--|
| 0.1-600mm or as requirement | | | | | |
| 500-2300mm or as requirement | | | | | |
| 00-11000mm or as requirement | | | | | |
| 1000 Series: 1050,1060,1070,1080,1100,1235,1350 etc 2000 Series: 2011,2014,2019,2024,2219,2A12,2A14 etc 3000 Series: 3003,3004,3005,3105,3A21 etc 4000 Series: 4043,4032 etc 5000 Series: 5005,5052,5083,5086,5182,5454,5754,5A05,5A06 etc 6000 Series: 6061,6063,6082,6005,6101 etc 7000 Series: 7021,7050,7075,7A04,7A09 etc | | | | | |
| D-H112,T3-T8,T351-T851,T7451 etc | | | | | |
| Mill, Hairline, Mirror, Embossed, Anodized, etc | | | | | |
| 3-5 days for stock, or depends on the specific order | | | | | |
| ASTM, AMS, GB/T, ASME, EN, ISO, DIN, JIS etc | | | | | |
| Standard Export Package | | | | | |
| Shanghai Port, or as requirement | | | | | |
| T/T,L/C,D/P,D/A,Paypal,etc | | | | | |
| 0 6 2 8 4 5 6 7 6 8 | | | | | |

Detailed Photo:



Chemical Composition:

| Allo y | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Other | | |
|-----------|-------------|------|---------------|--------------|---------------|---------------|----------|----------|------------|-----------|------------|
| | | | | | | | | | Singl e | Tot al | Al |
| 105 0 | 0.25 | 0.4 | 0.05 | 0.05 | 0.05 | _ | 0.0 5 | 0.0 3 | 0.03 | _ | ≥99.5 |
| 106 0 | 0.25 | 0.35 | 0.05 | 0.03 | 0.03 | _ | 0.0 5 | 0.0 3 | 0.03 | _ | ≥99.6 |
| 110 0 | Si+Fe:0.95 | | 0.05~0. 40 | 0.05 | _ | _ | 0.1 | _ | 0.05 | 0.1 5 | ≥99 |
| 120 0 | Si+Fe:1.00 | | 0.05 | 0.05 | | _ | 0.1 | 0.0 5 | 0.05 | 0.1 5 | ≥99 |
| 300 3 | 0.6 | 0.7 | 0.05~0. 20 | 1.0~1.5 | _ | _ | 0.1 | _ | 0.05 | 0.1 5 | Remaind er |
| 310 5 | 0.6 | 0.7 | 0.3 | 0.30~0. 8 | 0.20~0. 8 | 0.2 | 0.4 | 0.1 | 0.05 | 0.1 5 | Remaind er |
| 500 5 | 0.3 | 0.7 | 0.2 | 0.2 | 0.50~1. 1 | 0.1 | 0.2 5 | _ | 0.05 | 0.1 5 | Remaind er |
| 505 2 | 0.25 | 0.4 | 0.1 | 0.1 | 2.2~2.8 | 0.15~0. 35 | 0.1 | _ | 0.05 | 0.1 5 | Remaind er |
| 508 3 | 0.4 | 0.4 | 0.1 | 0.40~1. 0 | 4.0~4.9 | 0.05~0. 25 | 0.2 5 | 0.1 5 | 0.05 | 0.1 5 | Remaind er |
| 508 6 | 0.4 | 0.5 | 0.1 | 0.20~0. 7 | 3.5~4.5 | 0.05~0. 25 | 0.2 5 | 0.1 5 | 0.05 | 0.1 5 | Remaind er |
| 606 1 | 0.4~0. 8 | 0.7 | 0.15~0. 40 | 0.15 | 0.80~1. 20 | 0.04~0. 35 | 0.2 5 | 0.1 5 | 0.05 | 0.1 5 | Remaind er |
| 606 3 | 0.2~0. 6 | 0.35 | 0.1 | 0.1 | 0.45~0. 90 | 0.1 | 0.1 | 0.1 | 0.05 | 0.1 5 | Remaind er |

| 608 2 | 0.7~1. 3 | 0.5 | 0.1 | 0.4~1.0 | 0.6~1.2 | 0.25 | 0.2 | 0.1 | 0.05 | 0.1 5 | Remaind er |
|----------|-------------|-------------|-----|---------|---------|------|-----|-----|------|----------|------------|
| 801 1 | 0.5~0. 9 | 0.6~1. 0 | 0.1 | 0.2 | 0.05 | 0.05 | 0.1 | 0.0 | 0.05 | 0.1 5 | Remaind er |

Applications:

Aluminium Plate Sheet is widely used for alloy aluminum sheet, aluminum alloy sheet, alloy sheet, aluminum plate sheet, aluminum sheet plate. It has amazing strength-to-weight ratio and can be used for a wide variety of projects. It is also highly resistant to corrosion and has excellent weldability. It is the perfect material for aircrafts, ships, vehicles, construction, home decoration, and other applications. Aluminium Plate Sheet has high ductility and malleability, making it ideal for forming into complex shapes. It is also lightweight, durable, and easy to process.



Support and Services:

We offer technical support and service for Aluminium Plate Sheet. Our technicians are available at all times to ensure the smooth operation of your product. We provide ongoing maintenance and troubleshooting services, and can also help you with any installation or customization needs. We can also provide training and guidance on using Aluminium Plate Sheet, and can provide information about upgrades and new features. In the event of any problems, we are always available to provide assistance.

Packing and Shipping:

Aluminium Plate Sheet can be packaged and shipped in multiple ways. Depending on the size and weight of the product, it can be shipped with courier services, freight services, air cargo, or sea cargo. In most cases, the product needs to be securely packaged in cardboard boxes, wooden crates, or pallets to protect it during the shipping process.



FAQ:

- Q: Are you trading company or manufacturer?
- A: We are factory.
- Q: Do you provide samples ? is it free or extra ?
- A: Yes, we could offer the sample for free charge but do not pay the cost of freight.
- Q: How long is your delivery time?
 A: Generally it is 5-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity.
- Q: What is your terms of payment?
- A: Payment<=1000USD, 100% in advance. Payment>=1000USD, 30% T/T in advance ,balance before shipment.





+8618151700330



sales02@jslzsteel.com



@ aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China