

## 6082 6061 T6 Aluminum Bar 25mm 80mm Diameter Alloy Round Iso Certificate

Our Product Introduction

For more products please visit us on [aluminium-sheetcoil.com](http://aluminium-sheetcoil.com)

### Basic Information

- Place of Origin: Jiangsu China
- Brand Name: Chinalco
- Certification: ASTM GB EN
- Model Number: 1050 1060 2024 5052 6061 6063 6082 7075 8011
- Minimum Order Quantity: 1 TON
- Price: Negotiable
- Packaging Details: Standard Seaworthy Packing
- Delivery Time: 7-10 days, or depends on the specific quantity
- Payment Terms: T/T(30% Deposit),L/C
- Supply Ability: 20000tons/year



### Product Specification

- Product Name: Aluminum Bar
- Surface Treatment: Polished
- Temper: O - H112
- Trade Terms: FOB CIF CFR EXW
- Color: Silver White, Black, Can Be Customized According To User's Requirements
- Applications: Building Construction, decoration, Chemical Industry Container
- Quality: We Can Accept The Third Party Inspection
- Standard: JIS, AISI, ASTM, GB, DIN, EN, Etc.
- Highlight: 6061 t6 aluminum bar 25mm, round 6061 t6 aluminum bar, 80mm 6061 aluminum bar



**Product Description:**

Aluminium Rod is a versatile product, ideal for building construction, decoration, chemical industry containers, and other purposes. It is made of high-quality 6063 aluminum rod, 6082 aluminum rod, 6063 aluminum rod, and 7075 aluminum rod, which provides robustness and durability. The aluminum rods come in a variety of colors, such as silver white and black, and can be customized according to user's requirements. Moreover, the temper of the rods is O - H112. We provide a range of processing services, including bending, decoiling, welding, punching, and cutting.

**Features:**

Product	Aluminum Round bar
Diameter	5mm-2500mm or as the customer's request
Length	10mm-12000mm or as the customer's request
Material	1000series: 1050,1060,1070,1080,1100,1200,1435,ect
	2000series: 2011,2014,2017,2024,2124,ect
	3000series: 3003, 3004, 3A12,ect
	4000series: 4032,etc
	5000series:5005,5025,5040,5052,5056,5083,5086,5154,5254,5454,5456,5652,5754,5A02,etc
	6000series: 6003,6020,6061,6062,6063,6082,6101,6262,ect
	7000series: 7003,7005,7050,7075,ect
	8000series: 8011, etc.
Surface	Coated, Embossed,Brushed, polished, Anodized,etc
Quality control	Mill Test Certification is supplied with shipment,Third Part Inspection is acceptable.
Standard	GB/T3190-2008 JIS H4040:2006 JIS H4001:2006 ASTM B221M:2006 ASTM B209M:2006 EN 573-3:2003 etc...
Temper	H14, H112,F, O, T5,T6, H32, H34, H36, H111, H112, H116
OEM Service	Perforated, Cutting special size, Doing flatness, Surface treatment,etc
Application	Construction filed, Ships building industry, Decoration, Industry,Manufacture,Machinery and hardware fields, etc
Tolerance	±1%
MOQ	1 ton
Supply Ability	5000 tons / month
Lead Time	7-15 working days after the receipt of 30% deposit
Payment Terms	30%T/T Advance + 70% Balance
Price Terms	FOB, CFR, CIF, EXW
Packing	Standard sea-worthy package or as required

**Detailed Photo:**




### Chemical Composition:

Chemical Composition										
Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Others	Al
1050	0.25	0.4	0.05	0.05	0.05	-	0.05	0.03	0.15	99.5
1060	0.25	0.35	0.05	0.03	0.03	-	0.03	0.03	0.15	99.6
1070	0.2	0.25	0.04	0.03	0.03	-	0.04	0.03	0.15	99.7
1100	0.95 Si + Fe		0.05-0.20	0.05	-	-	0.1	-	0.15	99
2011	0.4	0.7	5.0-6.0	0.20-0.60		-	0.3	-	0.15	Remainin g
2014	0.5-1.2	0.5	3.9-5.0	0.4-1.2	0.2-0.8	0.1	0.25	0.15	0.15	Remainin g
2024	0.5	0.5	3.8-4.9	0.30-0.9	1.2-1.8	0.1	0.25	0.15	0.15	Remainin g
3003	0.6	0.7	0.05-0.20	1.0-1.5	-	-	0.1	-	0.15	Remainin g
3004	0.3	0.7	0.25	1.0-1.5	0.8-1.3	-	0.25	-	0.15	Remainin g
3005	0.6	0.7	0.3	1.0-1.5	0.20-0.6	0.1	0.25	0.1	0.15	Remainin g
3105	0.6	0.7	0.3	0.3~0.8	0.2~0.8	0.2	0.4	0.1	0.15	Remainin g
5005	0.3	0.7	0.2	0.2	0.50-1.1	0.1	0.25	-	0.15	Remainin g
5052	0.25	0.4	0.1	0.1	2.2-2.8	0.15-0.35	0.1	-	0.15	Remainin g
5083	0.4	0.4	0.1	0.4-1.0	4.0~4.9	0.05~0.25	0.25	0.15	0.15	Remainin g
5252	0.08	0.1	0.1	0.1	2.2-2.8	-	0.05	-	0.1	Remainin g

5754	0.4	0.4	0.1	0.5	2.6~3.6	0.3	0.2	0.15	0.15	Remainin g
6061	0.40-0.8	0.7	0.15-0.40	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Remainin g
7075	0.4	0.5	1.2-2.0	0.3	2.1-2.9	0.18-0.28	5.1-6.1	0.2	0.15	Remainin g

### More Products:



### Applications:



### Support and Services:

Provide technical advice on the selection, properties, and uses of Aluminium Rods.  
 Provide technical specifications to ensure Aluminium Rods meet your requirements.  
 Provide technical guidance for the fabrication and installation of Aluminium Rods.  
 Provide technical assistance with troubleshooting issues related to Aluminium Rods.

### Packing and Shipping:

The Aluminium Rod will be packaged in cardboard boxes or crates, secured with bubble wrap and protective packing material to ensure safe shipment. The shipment will be made via cargo ship or air freight, depending on the size and weight of the Aluminium Rod.





## FAQ:

Q: Are you a manufacturer?

A: Yes, we are manufacturers. We have our own factory and our own company.

I believe we will be the most suitable supplier for you.

Q: Can we visit your factory?

A: Sure, we welcome you to visit our factory, check our production lines and know more about our strength and quality.

Q: Do you have quality control system?

A: Yes, we have ISO, MTC, certifications and our own quality control laboratory. Third party testing services are also available.

Q: Why should I choose you?

A: Choose happens because of quality, then price, we can give you both. Additionally, we can also offer professional products inquiry, products knowledge train (for agents), smooth goods delivery, excellent customer solution proposals.

Our service formula: good quality + good price + good service = Customer's trust



**JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China