

5052 H32 Aluminium Plate Sheet Alloy 3mm Thick With 3/4 Hardness For Industrial

Basic Information

Place of Origin: Jiangsu ChinaBrand Name: Chinalco

aluminium-sheetcoil.com

Certification:
ASTM GB EN

• Model Number: 1050 1060 2024 5052 6061 6063 6082 7075

8011

Minimum Order

Quantity:

1 TON

• Price: Negotiable

Packaging Details: Standard Seaworthy Packing

• Delivery Time: 7-10 days, or depends on the specific

quantity

• Payment Terms: T/T,100%L/C At Sight

• Supply Ability: 20000tons/year



Product Specification

• Width: 600-2300mm Or As Required

• Length: 1000mm-11000mm Or As Required

Surface Finish: Polished, Anodizing, Brushed Or Customized

• Color: Silver

Application: Building Construction, decoration, Chemical

Industry Container

Packaging: Standard Seaworthy Packing

• Shape: Flat Plate Sheet

• Highlight: 5052 h32 aluminium plate sheet,

aluminium plate sheet 3mm thick



Product Description

5052 H32 Alloy Aluminium Plate Sheet 3mm Thick With 3/4 Hardness For Industrial

Product Description:

Aluminium Plate Sheet is available in a silver color, giving it a sleek and modern look. It is a popular choice in various industries due to its excellent properties such as high strength and corrosion resistance.

Key Features:

High Strength: The 6061 aluminum alloy used in the production of this sheet provides it with exceptional strength, making it suitable for use in various applications.

Corrosion Resistance: The sheet is resistant to corrosion, making it ideal for use in outdoor and marine environments. Anodizing Aluminum Sheet: The sheet can be anodized, which enhances its durability and adds to its aesthetic appeal.

Features:

Production Standard	GBT3190-2008, GB/T3880-2006, ASTM B209,JIS H4000-2006 etc						
Material &	1050,1060,2A14,3003,3103,4032,5454,5754,5056,5082,5086,6061,6060,						
Grade	6082,7075,7475						
Alloy Or Not	Is Alloy						
Temper	O-H112/T3-T8/T351-T851						
Processing Service	Welding, Cutting, Punching, Bending						
Surface Treatment	Mill Finished, Anodized, Embossed, PVC Coated etc						
Width	600mm-2300mm or as the customer's request						
Length	1000mm-11000mm or as the customer's request						
Thickness	0.13mm-6.5mm or as required						
Coating paint	PVDF, PE(Polyester), epoxy, polyamide, polyurethane						
Coating thickness	PE:>=16 micron , PVDF:>=25 micron						
Protective film	As per customer's request						
Tolerance	±1%						
Payterm	Ex-work,FOB,CIF,CFR, etc						
Payment	T/T, L/C, Western Union, etc						
Sample	Available						
MOQ	1 Ton						
Delivery Time	Within 3 days for our stock size,15-20days for our production						
Package	Export standard package: bundled wooden box, suit for all kinds of transport, or be required						


Detailed Photo:



Chemical Composition:

Grade	Chemical Composition(%)												
					Mg	Cr	Zn	Ti	Others		Al		
1050	0.25	0.4	0.05	0.05	0.05	-	0.05	0.03	single	tol	99.5		
1060	0.25	0.35	0.05	0.03	0.03	-	0.05	0.03	0.03	-			
1070	0.2	0.25	0.04	0.03	0.03	-	0.04	0.03	0.03	F	99.6		
1100	Si+Fe:0.95		0.05-0.4	0.05	-	-	0.1	-	0.03	F	99.7		
3003	0.6	0.7	0.05-0.2	1.0-1.5	-	-	0.1	-	0.05	0.15	99		
3004	0.3	0.7	0.25	1.0-	0.8	-	0.25	-	0.05	0.15	remains		
3005	0.6	0.7	0.3	1.0-1.5	0.2-0.6	0.1	0.25	0.1	0.05	0.15	remains		
3105	0.6	0.7	0.3	0.3-0.8	0.2-0.8	0.2	0.4	0.1	0.05	0.15	remains		
5052	0.25	0.4	0.1	0.1	2.2-2.8	0.15-0.35	0.1	-	0.05	0.15	remains		
5083	0.4	0.4	0.1	0.4-1.0	4.0-4.9	0.05-0.25	0.25	0.15	0.05	0.15	remains		
5086	0.4	0.5	0.1	0.2-0.7	3.5-4.5	0.05-0.25	0.25	0.15	0.05	0.15	remains		
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.05	0.15	remains		
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.05	0.15	remains		

Related Products:



Applications:

Aluminium Plate Sheet is readily available for various applications. Its flat shape makes it suitable for use in a wide range of industries, including construction, transportation, decoration, and more.



Packing and Shipping:



FAQ:

Q1: Can you provide free sample?

A: We can only provide free samples of small aluminum strip.

Q2: Can you accept customize?

A: Yes. It can be customized as per the customers' request.

Q3: How to ensure the quality?

A: All our products have undergone strict quality inspection before packing, and unqualified products will be eliminated. We can accept the third party inspection.

JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD

+8618151700330

sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China